

33

DESCRIPTION:

Omega 33 is a special diester synthetic compound with an exceptionally high flashpoint. Additives include the unique "Megalite" family of supplements, ensuring extreme temperature resistance up to 315°C (600°F) - and for short periods of exposure. Special viscosity improvers using hybridic polymers have been developed to extend the service life of this lubricant.

Omega 33 is a revolutionary lubricant in that it is potentially the first lubricant to utilize the capillary system of film formation. This means that the lubricant remains stable at all times - irregardless of temperature fluctuations, which has been the major obstacle with all ordinary greases. The high temperature resistance of Omega 33 is nearly double that of ordinary greases.

RELIABILITY:

Omega 33 stays in position after application. Its unique design causes it to form an outer heat-resistant coating while the inner lubricant continues to perform under extreme heat conditions.

EQUIPMENT LASTS LONGER:

Using Omega 33, high temperature equipment usually lasts considerably longer, and runs for substantially longer periods without maintenance.

SUPPLEMENTS:

Foam Inhibitors	Yes			
Calcinated Hydro- Carbons	Yes			
Carbonitic Black	Yes			
Climatic Adjustors	Yes			
Extreme Pressure Properties	Yes			
Molybdenum Disulphide	Yes			
Nuclear Reactor Stability	Yes			
Oxidation Resistors	Yes			
Mechanical Stability Improvers	Yes			
Shear Stability Improvers	Yes			
Rust Inhibitors	Yes			

APPLICATIONS:

Omega 33 is primarily a high temperature-resistant lubricant engineered for high temperature exposure conditions. Kilns and surface baking operations, food processing, steam pumps, babbitt bearings, tooling equipment, foundry machines and equipment, autoclaves, chemical processing, laboratory work, surgical sterilization equipment - there is almost no extreme temperature condition that Omega 33 cannot handle.

SPECIAL TEXTURE IMPROVERS:

Omega 33 consists of fine fibre texture improvers which come from a breakaway substance called "carbonitic black". This ensures that the texture remains static during severe temperature operations by encapsulation in an unbreakable, impenetrable outer skin.



TYPICAL DATA:

I TPICAL DATA:							
TEST	ASTM TEST METHOD	TEST RESULT					
Base Fluid: -							
Specific Gravity @ 15°C (60°F)	D-1298	0.9365					
Viscosity @ 100°F SUS	D-88	3000-3500					
Viscosity @ 210°F, SUS	D-88	250					
Viscosity Index	D2270	140					
Flash Point, COC, °C (°F)	D-92	316(600)					
Dropping Point, °C (°F)	D566	None					
Worked Penetration @ 77°F, 150 gm cone	D-217	275-305					
Timken OK Load, Lbs. min.	D-2509	40					
Rust Prevention	D-1743	# 1 Rating					
Oxidation Stability, p.s.i. loss in 100 hours	D-942	5					
Water Washout,% Loss after 2 hrs @ 175°F	D-1264	4					
Roll Stability, Point Change	D-1831	10					
Lubricant Stability	-	# 1 Rating					
NLGI Grade	-	# 2					
Operating Temperature Range, °C (°F)	-	-20 to 232 (-1 to 450)					
Color		Black					





 Product name:
 Omega 33
 Page:
 1/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 33
Container size: 5 kg, 15 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: High temperature grease.

1.3. Details of the supplier of the safety data sheet

Supplier: GB importer: Sovereign Lubricants (UK) Ltd, Crowtrees Lane,

Rastrick, West Yorkshire, HD6 3LZ

Manufacturer: ITW PP & F Korea Limited T: 01484 718674 - F: 01484 400164

13th Fl., Unit B, PAX Tower enquiries@sovereign-omega.co.uk
609 Eonju-ro, Gangnam-Gu www.sovereign-omega.co.uk

Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com

Further information can be

obtained from: magna@magnagroup.com

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<u>CLP:</u> The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Safety data sheet available on request.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation,

eczema, skin cracking and oil acne. The harmful effects may increase in used

grease

Greases are generally hazardous to the environment.

 Product name:
 Omega 33
 Page:
 2/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

All substances in the product are either registered or exempt from registration under REACH. Only classified substances above threshold limits or substances with an exposure limit are shown.

CLP:

<u>%: CAS-No.: EC No.: REACH Reg. No: Chemical name: Hazard classification: Notes:</u>

20-25 9003-27-4 - Polyisobutene Aquatic Chronic 4;H413 <5 68411-46-1 270-128-1 - Benzenamine, N-phenyl-, Aquatic Chronic 3;H412

reaction products with 2,4,4-

trimethylpentene

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Immediately rinse mouth and drink 1-2 glasses of water. Keep person under

observation. If uncomfortable: Transportation to hospital. Bring along these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

 Product name:
 Omega 33
 Page:
 3/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

<u>Protective equipment for fire-</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Follow precautions for safe handling described

in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

 Product name:
 Omega 33
 Page:
 4/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and

water or skin cleaning agent, never use organic solvents.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s): Lubricant.

Product name:Omega 33Page:5/11Supersedes date:2019-08-16Last revised date:2023-03-31Product No.:SDS-ID:GB-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

This/these substance(s) is/are subject to an Occupational Exposure Limit and may present an inhalation risk if present as dust or fume. This is not relevant to the current physical state of the product, which is not in a respirable form.

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:	Type:	Notes:	References:
-	Carbon black	-	3.5 mg/m3	TWA	-	EH40
		-	7 mg/m3	STEL	15min	
-	Molybdenum insoluble compounds	Мо	10 mg/m3	TWA	-	EH40
		-	20 mg/m3	STEL	15min	

Notes: EH40: EH40/2005.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. When working with heated grease, mechanical

ventilation may be required. Provide access to washing facilities incl. soap,

skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory

equipment with particle filter, type P2.

<u>Hand protection:</u> Risk of contact: Wear protective gloves.

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

<u>Hygiene measures:</u> Wash hands after handling. Change contaminated clothing.

Environmental Exposure

Controls:

Not available.

Product name: Omega 33 Page: 6/11
Supersedes date: 2019-08-16 Last revised date: 2023-03-31

Product No.: SDS-ID: GB-EN/8.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Grease.

Colour: Black.

Odour: Almost odourless. Odour threshold: Not available. pH: Not available. Melting point / freezing point: Not determined. **Boiling point:** Not available. Flash point: Not applicable. Evaporation rate: Not available. Flammability (solid, gas): Not available. Not available. **Explosive limits**

Vapour density: Not a Relative density: ~0.9

Solubility: Insoluble in water.

Partition coefficient (n-

octanol/water):

Vapour pressure:

Not available.

Not available.

Not available.

<u>Auto-ignition</u> Not available.

temperature (°C):

<u>Decomposition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available. <u>Explosive properties:</u> Not available. <u>Oxidising properties:</u> Not available.

9.2. Other information

Other data: Not available.

Product name: Omega 33 Page: 7/11
Supersedes date: 2019-08-16 Last revised date: 2023-03-31

Product No.: SDS-ID: GB-EN/8.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid Heat, sparks, flames.

Temperatures above: >250 °C

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None known.

products:

Product name: Omega 33 Page: 8/11 Supersedes date: 2019-08-16 Last revised date: 2023-03-31

Product No.: SDS-ID: GB-EN/8.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met. Acute Toxicity (Dermal): Based on available data, the classification criteria are not met. Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met. Skin Corrosion/Irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Carcinogenicity:

Aspiration hazard:

Germ cell mutagenicity:

Reproductive Toxicity:

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT - Single exposure: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

STOT - Repeated exposure:

Based on available data, the classification criteria are not met.

Inhalation:

Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact:

Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.

Eye contact:

Direct contact may irritate.

Ingestion:

May irritate and cause malaise.

Specific effects:

Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. The harmful effects may increase in used grease.

11.2. Information on other hazards

Endocrine disrupting

The product does not contain any substance identified as having endocrine

properties:

disrupting properties.

 Product name:
 Omega 33
 Page:
 9/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Greases are generally hazardous to the environment.

The product contains a substance which may cause long term adverse effects in

the aquatic environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

 Product name:
 Omega 33
 Page:
 10/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION

ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc.

(Amendment) Regulations 2021.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No.

720), as amended.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

 Product name:
 Omega 33
 Page:
 11/11

 Supersedes date:
 2019-08-16
 Last revised date:
 2023-03-31

 Product No.:
 SDS-ID:
 GB-EN/8.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 6, 7, 9, 10, 11, 12, 13, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

used in the safety data sheet: CSA= Chemical Safety Assessment.

PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.