

# Omega 35

---

## DESCRIPTION:

Omega 35 is a highly-specialized High Temperature Stable grease that has been engineered to continue lubricating applied parts at temperatures where ordinary greases "carbonize" and form abrasives that damage equipment. It consists of a synthetic, non-ash base or "carrier" agent, into which a high concentration of super-micronized, infinitesimal fine-mesh, lubricant-grade Megalite Solid Lubricant (MSL) is suspended.

## OPERATING PRINCIPLE:

Omega 35 features a highly unique lubricating principle. Its finely-balanced proportion of synthetic carrier and micronized MSL gives it good penetration power, good "spreadability" and enhanced lubricating qualities.

The synthetic is designed merely to be the "carrier" of the solid lubricant, to enable the latter to be introduced into the part(s) to be lubricated. Once the operating temperature increases to the volatilization range of the synthetic "carrier", it flashes off and leaves the super-fine, Megalite Solid Lubricant (MSL) in place. The MSL remains and continues to provide unparalleled anti-friction lubrication performance to the applied parts.

## IN-BUILT SUPERIORITY:

Omega 35's MSL provides many advantages over ordinary high temperature solid lubricants, such as molybdenum disulphide (commonly called "moly"). Moly does have high temperature qualities in the region of 700°C, but at such temperatures oxidize to form hard, abrasive residues that can damage equipment.

## PERFECT FOR "SEARING TEMPERATURE" APPLICATIONS:

Omega 35 is engineered as a general-purpose grease for virtually every type of application where exceptionally high heat is unavoidable. Some examples, include:

OVEN CARS

BRICK KILN CARS

STEEL MILLS

BAKING & COOKING OVENS

FOUNDRIES...and all slow-moving, high temperature applications.

## TYPICAL DATA:

| TEST                                     | ASTM<br>TEST METHOD | TEST RESULT           |
|--|---------------------|-----------------------|
| Base Fluid: -                            |                     |                       |
| Viscosity @ 40°C (104°F)cSt              | D-445               | 35                    |
| Viscosity @ 100°C (212°F)cSt             | D-445               | 6                     |
| Viscosity Index                          | D-2270              | 116                   |
| Pour Point, °C (°F)                      | D-97                | -8 to -15 (17.6 to 4) |
| Flash Point, °C (°F)                     | D-92                | 196(385)              |
| 4-ball EP weld point, kgf                | D-2596              | 620                   |
| 4-ball wear scar, mm                     | D-2266              | 0.8                   |
| Worked Penetration @ 77°F, 150gm<br>cone | D-217               | 270-310               |
| Specific Gravity @ 15°C (60°F)           | D-1298              | 1.33                  |
| Dropping Point °C (°F)                   | D-566               | 260(500)+             |
| Texture                                  |                     | Smooth                |

**IMPORTANT:**

---

1. Product should be thoroughly mixed with a paddle to ensure uniform consistency before applying to bearings and other parts to be lubricated.
2. The lubricated parts should be cleaned to remove the previous lubricant completely prior to applying Omega 35.
3. Avoid over-greasing with Omega 35. Otherwise, too much solid lubricant will hinder the free rotation of the bearing. For roller bearings, apply grease to fill about 25% of the housing capacity only. During regular maintenance period, dismantle bearings for cleaning and regreasing.

# SAFETY DATA SHEET



Product name: Omega 35  
Supersedes date: 2012-07-09  
Product No.:

Page: 1/7  
Last revised date: 2016-02-22  
SDS-ID: GB-EN/6.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: Omega 35  
Container size: 5 kg, 15 kg **\*\*Manufactured in Australia\*\***

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: High temperature grease.

### 1.3. Details of the supplier of the safety data sheet

Supplier: EU importer: Sovereign Lubricants (UK) Ltd, Crowtrees Lane,  
Rastrick, West Yorkshire, HD6 3LZ  
T: 01484 718674 - F: 01484 400164  
enquiries@sovereign-omega.co.uk  
www.sovereign-omega.co.uk

Manufacturer: Omega Manufacturing Division  
13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108  
(The Omega Trade Mark is the property of ITW Inc. and is used under license by ITW PP & F Korea Limited)

Further information can be obtained from: magna@magnagroup.com

### 1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP: The product is not classified.

### 2.2. Label elements

Safety data sheet available on request.

### 2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown.

CLP:

| <u>%:</u> | <u>CAS-No.:</u> | <u>EC No.:</u> | <u>REACH Reg. No.:</u> | <u>Chemical name:</u>      | <u>Hazard classification:</u> | <u>Notes:</u> |
|-----------|-----------------|----------------|------------------------|----------------------------|-------------------------------|---------------|
| 30-60     | 25322-68-3      | 500-038-2      | -                      | Poly(ethylene oxide)       | -                             | #             |
| 30-60     | 7782-42-5       | 231-955-3      | 01-2119486977-12-      | Graphite                   | -                             | #             |
| 0.5-2     | 7631-86-9       | 231-545-4      | -                      | Silicon dioxide, amorphous | -                             |               |

Notes: #: The substance has been assigned an exposure limit.

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Omega 35   | Page:              | 2/7        |
| Supersedes date: | 2012-07-09 | Last revised date: | 2016-02-22 |
| Product No.:     |            | SDS-ID:            | GB-EN/6.0  |

---

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. In case of spills, beware of slippery floors and surfaces. Follow precautions for safe handling described in this safety data sheet.

### 6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with non-combustible, absorbent material. Clean contaminated area with oil-removing material.

### 6.4. Reference to other sections

References: For personal protection, see section 8.  
For waste disposal, see section 13.

---

# SAFETY DATA SHEET

Product name: Omega 35 Page: 3/7  
Supersedes date: 2012-07-09 Last revised date: 2016-02-22  
Product No.: SDS-ID: GB-EN/6.0

---

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.

Technical measures: Work practice should minimise contact.

Technical precautions: When working with heated grease, mechanical ventilation may be required.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container.

### 7.3. Specific end use(s)

Specific use(s): Lubricant.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits:

| <u>CAS-No.:</u> | <u>Chemical name:</u>              | <u>As:</u> | <u>Exposure limits:</u> | <u>Type:</u> | <u>Notes:</u> | <u>References:</u> |
|-----------------|------------------------------------|------------|-------------------------|--------------|---------------|--------------------|
| 7782-42-5       | Graphite, respirable dust          | -          | 4 mg/m <sup>3</sup>     | TWA          | -             | EH40               |
| 7782-42-5       | Graphite, inhalable dust           | -          | 10 mg/m <sup>3</sup>    | TWA          | -             | EH40               |
| -               | Silica, amorphous, respirable dust | -          | 2.4 mg/m <sup>3</sup>   | TWA          | -             | EH40               |
| -               | Silica, amorphous, inhalable dust  | -          | 6 mg/m <sup>3</sup>     | TWA          | -             | EH40               |

### 8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Other types of gloves can be recommended by the glove supplier.

Eye protection: Risk of contact: Wear approved safety goggles.

Skin protection: Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures: Wash hands after handling. Wash contaminated clothing before reuse.

Environmental Exposure Controls: Not available.

---

# SAFETY DATA SHEET

Product name: Omega 35  
Supersedes date: 2012-07-09  
Product No.:

Page: 4/7  
Last revised date: 2016-02-22  
SDS-ID: GB-EN/6.0

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance: Grease.  
Odour: Almost odourless.  
pH: Not relevant.  
Melting point / freezing point: > 180°C  
Boiling point: Not available.  
Flash point: > 240°C  
Evaporation rate: Not relevant.  
Flammability (solid, gas): Not available.  
Explosion limits: Not available.  
Vapour pressure: Not relevant.  
Vapour density: Not relevant.  
Relative density: ~0,9  
Solubility: Insoluble in water.  
Partition coefficient (n-octanol/water): Not available.  
Auto-ignition temperature (°C): Not available.  
Decomposition temperature (°C): Not available.  
Viscosity: Not relevant.  
Explosive properties: Not available.  
Oxidising properties: Not available.  
**9.2. Other information**  
Other data: Not available.

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Omega 35   | Page:              | 5/7        |
| Supersedes date: | 2012-07-09 | Last revised date: | 2016-02-22 |
| Product No.:     |            | SDS-ID:            | GB-EN/6.0  |

---

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity: Not reactive.

### 10.2. Chemical stability

Stability: Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

### 10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.

Eye contact: Direct contact may irritate.

Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis.

---



# SAFETY DATA SHEET

Product name: Omega 35 Page: 6/7  
Supersedes date: 2012-07-09 Last revised date: 2016-02-22  
Product No.: SDS-ID: GB-EN/6.0

---

## SECTION 12: ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Ecotoxicity: Greases are generally hazardous to the environment.

### **12.2. Persistence and degradability**

Degradability: The product is expected to be slowly biodegradable.

### **12.3. Bioaccumulative potential**

Bioaccumulative potential: No data available on bioaccumulation.

### **12.4. Mobility in soil**

Mobility: No data available.

### **12.5. Results of PBT and vPvB assessment**

PBT/vPvB: This product does not contain any PBT or vPvB substances.

### **12.6. Other adverse effects**

Other adverse effects: None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 12 01 12

## SECTION 14: TRANSPORT INFORMATION

The product is not regulated as dangerous goods under IMDG Code, IATA-DGR and ADR/RID.

### **14.1. UN number**

UN-No: -

### **14.2. UN proper shipping name**

Proper Shipping Name: -

### **14.3. Transport hazard class(es)**

Class: -

### **14.4. Packing group**

PG: -

### **14.5. Environmental hazards**

Marine pollutant: -

Environmentally Hazardous substance: -

### **14.6. Special precautions for user**

Special precautions: -

### **14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Transport in bulk: -

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Omega 35   | Page:              | 7/7        |
| Supersedes date: | 2012-07-09 | Last revised date: | 2016-02-22 |
| Product No.:     |            | SDS-ID:            | GB-EN/6.0  |

---

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.  
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.  
-  
EH40/2005, Workplace exposure limits 2005, with amendments.  
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

### 15.2. Chemical Safety Assessment

CSA status: No information available.

## SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

2, 3, 4, 7, 10.

Omega Manufacturing Division  
13th floor, Unit B, PAX Tower, 609 Eonju-ro,  
Gangnam-Gu, Seoul, Korea 06108  
Tel : +82-2-2088-3560  
Fax : +82-2-513-3567  
Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
www.dhigroup.com.

---