

38



Nonfood Compounds Category Code : H1 Registration Number : 135702

DESCRIPTION:

OMEGA 38 Crystal Clear FG Grease is the most advanced multi-purpose synthetic food grade grease, characterized by its crystal clear formation. OMEGA 38 is colorless, satisfying an array of industries with specific needs, e.g. food processing plants, pharmaceuticals, canneries, printing plants, paper mills, electronics plants, etc.

KEY APPLICATIONS:


OMEGA 38 is an ideal multi-purpose, synthetic greasing solution for all types of lubricated bearings commonly found in pharmaceutical

production, laboratories, canneries, beverage bottling plants, food processing plants (e.g. potato chips plants, poultry processing plants, meat processing plants), printing industry, paper mill, palm oil mills, plastics production, tobacco manufacturing, medical & dental equipment production and electronics industries

OMEGA 38 Crystal Clear FG Grease, with its colorless physical qualities, is particularly suitable for applications where incidental grease contact with food products, packaging materials or delicately finished products is possible.







KEY PROPERTIES & BENEFITS:

OMEGA 38 features the following key properties and benefits:

- Versatile food & beverage grade applications for reduction in grease inventory
- · Crystal clear
- Non-toxic, non-staining
- Virtually no oil separation
- Excellent "water washout" resistance even with large amount of water
- Superior anti-rust and anti-corrosion protection
- Excellent for low temperature use down to -40°C ensuring outstanding low temperature pumpability
- High temperature stability protection Non-melt
- Suitable for centralized pressure systems
- Long grease life & lubrication cycle adhesive tacky grease that stays in place



- Excellent anti-fling properties
- Complies with Food and Drug Administration (FDA) Federal Regulation 178.3620 and NSF H-1 category for incidental food contact application





TYPICAL DATA:

TEST	ASTM TEST METHOD	TEST RESULT
Base Oil		
Viscosity, cSt@ 40°C	D-445	66
Viscosity, cSt@ 100°C	D-445	9.8
Viscosity Index	D-2270	131
Flash Point, °C	D-92	250
Pour Point, °C	D-97	-50
Dropping Point, °C	D-2265	None
Worked Penetration, 60 Strokes	D-217	276
Timken OK Load, Lbs	D-2509	20
Four Ball Wear, mm	D-2266	1.14
Rust Prevention Rating	D-1743	Pass
Oil Separation, % loss	D-1742	6
NLGI Grade	D-217	#2
Operating Temperature Range, °C	-	- 40 to 200
Texture	Visual	Tacky
Color	Visual	Clear





Sovereign Lubricants (UK) Ltd, Crowtrees Lane,

Rastrick, West Yorkshire, HD6 3LZ

T: 01484 718674 - F: 01484 400164

enquiries@sovereign-omega.co.uk

www.sovereign-omega.co.uk

 Product name:
 Omega 38
 Page:
 1/9

 Supersedes date:
 2019-02-12
 Last revised date:
 2022-11-18

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 38

Container size: 5 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Food Grade Grease

1.3. Details of the supplier of the safety data sheet

Supplier: GB importer:

Manufacturer: Ωmega Manufacturing Division

13th floor, Unit B, PAX Tower, 609 Eonju-ro

Gangnam-Gu, Seoul

Korea 06108

Tel:+82-2-2088-3560 Fax:+82-2-513-3567

1.4. Emergency telephone number

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

Safety data sheet available on request.

2.3. Other hazards

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The harmful effects may increase in used grease.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown.

All substances in the product are either registered or exempt from registration under REACH.

CLP:

<u>%: CAS-No.: EC No.: REACH Reg. No: Chemical name: Hazard classification: Notes:</u>

<70 68037-01-4 500-183-1 - Dec-1-ene, homopolymer, Asp. Tox. 1;H304</p>

hydrogenated Dec-1-ene, oligomers, hydrogenated

oligomers, hydrogenate

Notes: DMSO-content < 3%

References: The full text for all hazard statements is displayed in section 16.

Product name: 2/9 Omega 38 Page: Supersedes date: 2019-02-12 2022-11-18 Last revised date: Product No.: SDS-ID: GB-EN/7.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Immediately flush with plenty of water for at least 15 minutes. Remove any Eye contact:

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under Ingestion:

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

fighters: precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Follow precautions for safe handling described

in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

Product name:Omega 38Page:3/9Supersedes date:2019-02-12Last revised date:2022-11-18Product No.:SDS-ID:GB-EN/7.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and

water or skin cleaning agent, never use organic solvents.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

DNEL/PNEC: No information available.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation and minimise the risk of inhalation of vapours and

oil mist.

When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. It is recommended to

use respiratory equipment with combination filter, type A2/P3.

<u>Hand protection:</u> For prolonged or repeated skin contact use suitable protective gloves. Nitrile

gloves are recommended.

Breakthrough time: > 4 h, Thickness: > 0.4 mm

Other types of gloves can be recommended by the glove supplier.

Eye protection: Risk of contact: Wear goggles/face shield.

Hygiene measures: Wash hands after handling. Change contaminated clothing.

Environmental Exposure

Not available.

Controls:

Product name: Omega 38 Page: 4/9
Supersedes date: 2019-02-12 Last revised date: 2022-11-18

Product No.: SDS-ID: GB-EN/7.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:

Colour:
Clear.

Odourless.

Odour threshold:

PH:
Not available.

Melting point / freezing point:

Not available.

Not available.

Not available.

Flash point: 264°C

Evaporation rate: Not determined.

Flammability (solid, gas): Not applicable.

Explosive limits Not determined.

Vapour pressure: Not determined.

Vapour density: Not available.

Relative density: 1,01

Solubility: Negligible.

Partition coefficient (n- Not determined.

octanol/water):

<u>Auto-ignition</u> Not determined.

temperature (°C):

<u>Decomposition</u> Not determined.

temperature (°C):

Viscosity: 46,7 mm2/s (40 °C)

Explosive properties: Not determined.

Oxidising properties: Not determined.

9.2. Other information

Other data: Not available.

Product name: Omega 38 Page: 5/9 Supersedes date: 2019-02-12 Last revised date: 2022-11-18 Product No.: SDS-ID: GB-EN/7.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive. Reactivity:

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known. **Hazardous Reactions:**

10.4. Conditions to avoid

Conditions to avoid Heating.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition

products:

Carbon oxides

Product name: Omega 38 Page: 6/9
Supersedes date: 2019-02-12 Last revised date: 2022-11-18

Product No.: SDS-ID: GB-EN/7.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Respiratory or skin

Germ cell mutagenicity:

sensitisation:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

<u>Carcinogenicity:</u> Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of vapours formed during heating of the product will irritate the

respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or frequent contact may cause redness, itching, eczema

and skin cracking.

Eye contact: Direct contact may irritate.

Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin

diseases, such as dermatitis. The harmful effects may increase in used grease.

11.2. Information on other hazards

Endocrine disrupting

The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

 Product name:
 Omega 38
 Page:
 7/9

 Supersedes date:
 2019-02-12
 Last revised date:
 2022-11-18

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Greases are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 12 01 12

Product name:Omega 38Page:8/9Supersedes date:2019-02-12Last revised date:2022-11-18Product No.:SDS-ID:GB-EN/7.0

SECTION 14: TRANSPORT INFORMATION

The product is not regulated as dangerous goods under IMDG Code, IATA-DGR and ADR/RID.

14.1. UN number

<u>UN-No:</u> Not regulated.

14.2. UN proper shipping name

<u>Proper Shipping Name:</u> Not regulated.

14.3. Transport hazard class(es)

<u>Class:</u> Not regulated.

14.4. Packing group

PG: Not regulated.

14.5. Environmental hazards

Marine pollutant: Not regulated.

Environmentally Hazardous Not regulated.

substance:

14.6. Special precautions for user

<u>Special precautions:</u> Not regulated.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not regulated.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc.

(Amendment) Regulations 2021.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No information available.

 Product name:
 Omega 38
 Page:
 9/9

 Supersedes date:
 2019-02-12
 Last revised date:
 2022-11-18

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 3, 8, 9, 11, 12.

Omega Manufacturing Division

13th floor, Unit B, PAX Tower, 609 Eonju-ro,

Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Wording of H-statements:

H304 May be fatal if swallowed and enters airways.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

 $\label{eq:made_problem} \mbox{Made by DHI - Environment and Toxicology, Agern All\'e 5, DK-2970 H\"{o}rsholm, Denmark.} \\ \mbox{www.dhigroup.com}.$