



DESCRIPTION:

Omega 580 heralds "the" important scientific breakthrough into the field of high purity lubrication. It features an additive formulation so unique that it has virtually no competition in its operating capabilities - where only the purest, cleanest lubrication is demanded. Omega 580 sets new standards of performance by which future high-purity lubricants will be measured.

PREMIUM QUALITY INGREDIENTS:

Omega 580 contains such a highly-advanced and sophisticated additive formulation that they were individually tested by the United States Department of Agriculture, who approved each and every additive!

SUPERIOR TO ORDINARY "PURE" GRADE OILS:

Ordinary so-called "pure" oils are known under a variety of names such as "Pure White" or "Pure Mineral" or "Medical" or "Pharmaceutical Grade", etc.

However they lack any effective additive inclusion because ordinary additives are toxic and would render the oil unsuitable for high purity applications. The result is that these ordinary "pure" oils provide extremely limited performance, lack stability, are easily "worn", foam excessively and oxidize rapidly. They require frequent changing and do not offer performance anywhere comparable to that of ordinary oils used in non - high purity applications.

Omega 580, on the other hand, is based on a completely new additives chemistry that is completely non-toxic and gives it extraordinary performance capabilities over ordinary "pure" oils.

USDA-APPROVED ADDITIVES:

Omega 580 contains anti-foam agents, a highly effective oxidation inhibitor and supplementary antiwear agents. In addition, a special bactericide is added to enhance purity and keep the harmful bacteria count extremely low. These additives packages are so advanced that no ordinary pure oil contains them.

Most importantly, they enable Omega 580 to easily outperform ordinary pure oils under service conditions. (Due to the very high concentration of proprietary additives in Omega 580, there may be a very slight degree of sedimentation.

This does not impair the product's performance to any detrimental degree).

USES:

Due to the effective additives package in Omega 580, it will outlast and outperform ordinary "pure" oils in any application demanding pure grade oils. In addition, Omega 580 can be used in compressors, pumps, vacuums, hydraulic systems, chains and conveyors where incidental food contact is encountered.

Omega 580 is recommended for use in food processing plants, abattoir equipment, bottling machinery, hospital equipment, canneries, pharmaceutical manufactories bakeries, cosmetics factories, research laboratories and all types of machinery and equipment that demand the use of pure oil grades.



OPIM580-1	Ver. 2.0	Rev. 3.0
Rev. Date: 2 Ja	an 2019	
Reference: CK	L	

TYPICAL DATA:

TEST	ASTM	TEST RESULT
1231	TEST METHOD	SAE 20
ISO Viscosity Grade	D-2422	68
Appearance	Visual	Off Color/Water White
Density, Kg/L @ 15°C	D-1298	0.884
Viscosity, cSt @ 40°C	D-445	68
Viscosity, cSt @ 100°C	D-445	8.4
Viscosity Index	D-2270	92
Flash Point, COC, °C	D-92	205
Pour Point, °C	D-97	-12
Total Acid Number, mg KOH/g	D-974	0.8
Foaming Characteristics -		
All Sequences, After Settling	D-892	Nil
Copper Strip Corrosion, 3 Hours at 100°C	D-130	1a
Rust-Preventing Characteristics	D-665	Pass
FZG Gear Test, Failure Stage Load	DIN 51354	12
Ash, % Mass		Nil
Zinc, % Mass		Zinc Free





Product name:	Omega 580
Supersedes date:	2016-05-10
Product No.:	

SECTION 1: IDENTIFICA COMPANY/UNDERTAKIN		E SUBSTANCE/MIXTURE AND OF THE
1.1. Product identifier		
Product name:	Omega 580	
Container size:	5 I, 20 I	**Manufactured in Australia**
1.2. Relevant identified uses	of the substand	ce or mixture and uses advised against
Application:	Lubricant oil	
1.3. Details of the supplier of	the safety data	a sheet
<u>Supplier:</u>	EU importer:	Sovereign Lubricants (UK) Ltd, Crowtrees Lane, Rastrick, West Yorkshire, HD6 3LZ T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk
<u>Manufacturer:</u>	13th FI., Unit 609 Eonju-rc Seoul, Korea Tel:+82-2-20 Fax:+82-2-5 www.magna	88-3560 13-3567
1.4. Emergency telephone nu	umber	

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture			
<u>CLP:</u>	Not classified.		
2.2. Label elements			
	The substance/mixture does not meet the criteria for classification and labelling.		
2.3. Other hazards			
<u>Other:</u>	Prolonged or repeated contact with skin may cause redness, itching, irritation,		

eczema, skin cracking and oil acne. Degreasing to skin. The harmful effects may

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

increase in used oil.

3.2. Mixtures

The product contains: white mineral oil and additives .

Only classified substances above threshold limits or substances with an exposure limit are shown.

All substances in the product are either registrered or exempt from registration under REACH.

Product na	ame:		Omega 580		Page:	2/9
Supersede	es date:		2016-05-10		Last revised date:	2019-02-11
Product No	0.:				SDS-ID:	GB-EN/7.0
CLP:						
<u>%:</u> <u>C</u>	AS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100 80	042-47-5	232-455-8	01-2119487078-27- XXXX	White mineral oil (petroleum)	-	
Notes:			DMSO < 3% (IP 346	;)		

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid me	asures		
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.		
Skin contact:	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.		
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.		
Ingestion:	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.		
4.2 Indication of any immedia	to modical attention and special treatment needed		

 $\underline{\textbf{4.3. Indication of any immediate medical attention and special treatment needed}$

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:	Small fires: Extinguish with carbon dioxide or dry powder. Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards:	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Protective equipment for fire- fighters:	Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

Product name:	Omega 580	Page:	3/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.		
6.2. Environmental precaution	<u>IS</u>		
Environmental precautions:	Do not discharge into drains, water courses or onto the ground.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up:	Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material.		
6.4. Reference to other sections			
References:	For personal protection, see section 8. For waste disposal, see section 13.		

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice:	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.		
Technical measures:	Use work methods which minimise oil mist production.		
Technical precautions:	When working with heated oil, mechanical ventilation may be required.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures for safe storage:	No special precautions.		
Storage conditions:	Store in tightly closed original container.		
7.3. Specific end use(s)			
Specific use(s):	Lubricant.		

Product name:	Omega 580	Page:	4/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures:	Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended. Breakthrough time: > 4h; Thickness: > 0.3 mm Other types of gloves can be recommended by the glove supplier.
Eye protection:	Risk of contact: Wear goggles/face shield.
Hygiene measures:	Wash hands after contact. Wash contaminated clothing before reuse.
Environmental Exposure Controls:	Not available.

Product name:	Omega 580	Page:	5/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:	Liquid. Oily.
<u>Odour:</u>	Almost odourless.
<u>pH:</u>	Not relevant.
Boiling point:	> 230°C
Flash point:	> 200°C
Evaporation rate:	Not available.
Flammability (solid, gas):	Not applicable.
Explosive limits	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	~ 0,9
Solubility:	Immiscible with water.
Partition coefficient (n- octanol/water):	Not available.
<u>Auto-ignition</u> temperature (°C):	Not available.
Decomposition temperature (°C):	Not available.
<u>Viscosity:</u>	~ 68 mm²/s (40 °C)
9.2. Other information	
Other data:	Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity:	Not reactive.
10.2. Chemical stability	
<u>Stability:</u>	Stable under normal temperature conditions.
10.3. Possibility of hazardous	reactions
Hazardous Reactions:	None known.
10.4. Conditions to avoid	
Conditions to avoid	Heat, sparks, flames.
10.5. Incompatible materials	
Incompatible materials:	Strong oxidising substances.
10.6. Hazardous decompositio	n products
Hazardous decomposition products:	None in particular.

Product name:	Omega 580	Page:	6/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
Skin contact:	Degreasing. Prolonged or frequent contact may cause redness, itching, irritation, eczema, skin cracking and oil acne.
Eye contact:	Splashes may irritate.
Ingestion:	May irritate and cause malaise.
<u>Specific effects:</u>	Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

SECTION 12: ECOLOGICAL INFORMATION

<u>12.1. Toxicity</u>		
Ecotoxicity:	Oil spills are generally hazardous to the environment.	
12.2. Persistence and degrad	lability	
<u>Degradability:</u>	The product is expected to be slowly biodegradable.	
12.3. Bioaccumulative potent	ial	
Bioaccumulative potential:	No data available on bioaccumulation.	
12.4. Mobility in soil		
<u>Mobility:</u>	No data available.	
12.5. Results of PBT and vPvB assessment		
<u>PBT/vPvB:</u>	No data available.	
12.6. Other adverse effects		
Other adverse effects:	None known.	

Product name:	Omega 580	Page:	7/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 13 02 05

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

<u>14.1. UN number</u>

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous - substance:

14.6. Special precautions for user

Special precautions:

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

_

Transport in bulk:

Product name:	Omega 580	Page:	8/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No information available.

Product name:	Omega 580	Page:	9/9
Supersedes date:	2016-05-10	Last revised date:	2019-02-11
Product No.:		SDS-ID:	GB-EN/7.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 2, 3, 8, 11.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

<u>Abbreviations and acronyms</u> PBT = Persistent, Bioaccumulative and Toxic. <u>used in the safety data sheet:</u> vPvB = very Persistent and very Bioaccumulative.

Key literature references and
sources for data:None.Additional information:None.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.