

Omega 59

DESCRIPTION:

Omega 59 is a sophisticated, pre-stabilized CS (Central System) lubricant. It can be applied both manually and automatically. It provides the essential high standard of long-distance pumpability demanded by CS-user industries. Pumping distances of up to 1,100 m. (3,600 ft.) without booster pumps have been achieved.

SPECIAL THICKNESS:

Omega 59 contains special temperature-resistant thickeners. These supplements provide the level of stability required for long-distance lubrication. Precise quantities of centrinitic demaskers ensure total surface protection on metal-to-metal contact areas.

OPERATIONAL EFFICIENCY:

Omega 59 actually promotes, through highly developed ionic inclusions, a long-term high-speed equipment efficiency in Central Systems. Contaminants are kept out and corrosion and oxidation are kept to a minimum.

UNIQUE CAPABILITY:

Omega 59 has a marked capacity to penetrate and permeate exceedingly difficult lubricant areas. A 7% concentration of specially-developed gellants provide the means with which to retain its loose characteristics. This capability is brought about by the inclusion of organo-montmorillonite (also known as "Monite") which promotes a 'plating' action, forming a liquid-wedge preventing metal-to-metal contact and resultant wear.

APPLICATION:

Omega 59 can be used in any and all CS equipment. It can be applied manually or automatically.

SUPPLEMENTS:

Anti-oxidants	Yes
Climatic Adjustors	Yes
Contaminant Resistors	Yes
Demulsifiers	Yes
Organo-Montmorillonite	Yes
Performance Improvers	Yes
Rust Inhibitors	Yes
Shear-stability Improvers	Yes
Vibration Resistors	Yes

TYPICAL DATA:

TEST	ASTM TEST METHOD	TEST RESULT
Mineral Oil Base: -		
Viscosity @210°F (98.8°C) , SUS	D-88	80
Flash Point, COC, °C	D-92	249
Pour Point, °C	D-97	-23
Drop Point, °C	D-566	260+
Worked Penetration @77°F, 150 gm. cone	D-217	265-295
Timken OK Load, lbs. min.	D-2509	40
Bearing Stability	D-1741	Excellent
Copper Corrosion Test	D-1402	Excellent
Humidity Corrosion @18°C, %	D-5319	0.01
Evaporation Loss	D-972	Minimal
Oil Separation, @100°C, 30 hrs. %	D-1742	3.1
NLGI Grade	-	#2
Operating Temperature Range, °C	-	-20 to 204
Color	-	Golden Bronze

SAFETY DATA SHEET



Product name: Omega 59
Supersedes date: 2015-05-25
Product No.:

Page: 1/7
Last revised date: 2016-04-15
SDS-ID: GB-EN/6.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 59
Container size: 5 kg, 15 kg ****Manufactured in Australia****

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer: Sovereign Lubricants (UK) Ltd, Crowtrees Lane,
Rastrick, West Yorkshire, HD6 3LZ
T: 01484 718674 - F: 01484 400164
enquiries@sovereign-omega.co.uk
www.sovereign-omega.co.uk

Manufacturer Omega Manufacturing Division
13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108
(The Omega Trade Mark is the property of ITW Inc. and is used under license by ITW PP & F Korea Limited)

Further information can be obtained from: magna@magnagroup.com

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification and labelling.

2.3. Other hazards

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: mineral oil and additives
. DMSO-content < 3%

No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

SAFETY DATA SHEET

Product name:	Omega 59	Page:	2/7
Supersedes date:	2015-05-25	Last revised date:	2016-04-15
Product No.:		SDS-ID:	GB-EN/6.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.
Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SAFETY DATA SHEET

Product name:	Omega 59	Page:	3/7
Supersedes date:	2015-05-25	Last revised date:	2016-04-15
Product No.:		SDS-ID:	GB-EN/6.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.

Technical measures: Work practice should minimise contact.

Technical precautions: When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Other types of gloves can be recommended by the glove supplier.

Eye protection: Risk of contact: Wear goggles/face shield.

Hygiene measures: Wash hands after handling. Change contaminated clothing.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: Omega 59
Supersedes date: 2015-05-25
Product No.:

Page: 4/7
Last revised date: 2016-04-15
SDS-ID: GB-EN/6.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Grease.
Colour: Brown.
Odour: Almost odourless.
pH: Not relevant.
Melting point / freezing point: > 250°C
Boiling point: Not available.
Flash point: > 250°C
Evaporation rate: Not available.
Flammability (solid, gas): Not available.
Explosive limits not available
Vapour pressure: not available
Vapour density: Not available.
Relative density: ~ 0,9
Solubility: Insoluble in water.
Partition coefficient (n-octanol/water): Not available.
Auto-ignition temperature (°C): Not available.
Decomposition temperature (°C): not available
Viscosity: Not relevant.
Explosive properties: Not available.
Oxidising properties: Not available.

9.2. Other information

Other data: Not available.

SAFETY DATA SHEET

Product name:	Omega 59	Page:	5/7
Supersedes date:	2015-05-25	Last revised date:	2016-04-15
Product No.:		SDS-ID:	GB-EN/6.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions to avoid None specific.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.

Eye contact: Direct contact may irritate.

Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. The harmful effects may increase in used grease.

SAFETY DATA SHEET

Product name:	Omega 59	Page:	6/7
Supersedes date:	2015-05-25	Last revised date:	2016-04-15
Product No.:		SDS-ID:	GB-EN/6.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Greases are generally hazardous to the environment.

12.2. Persistence and degradability

Degradability: The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: No data available.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 12 01 12

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

14.6. Special precautions for user

Special precautions: -

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: -

SAFETY DATA SHEET

Product name:	Omega 59	Page:	7/7
Supersedes date:	2015-05-25	Last revised date:	2016-04-15
Product No.:		SDS-ID:	GB-EN/6.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
-
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No information available.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.1, 11, 16.

Omega Manufacturing Division
13th floor, Unit B, PAX Tower, 609 Eonju-ro,
Gangnam-Gu, Seoul, Korea 06108
Tel : +82-2-2088-3560
Fax : +82-2-513-3567
Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
