

DESCRIPTION:

Omega 638 has a four - in - one action application. It acts as light lubricant, rust preventive, penetrating fluid as well as water repellent. Food grade Omega 638 is blended with materials that have USDA – H1 approvals for incidental food contact.

SURFACE PROTECTION:

Omega 638 protects metal surfaces for a short term from rust in the food-processing environment. It is suitable for indoor as well as outdoor applications and it is very effective against rust caused by high humidity.

LUBRICITY:

Omega 638 is suitable for an environment that requires an odourless and non-toxic colourless light lubricant.

WATER DISPLACEMENT:

Omega 638 is capable of displacing moisture out of vital metal components and parts. It leaves behind an invisible thin protective layer that stands up against corrosion.

PENETRATING FLUID:

Omega 638 is effective in penetrating and loosening “ frozen” bolts, nuts and other fasteners. The lubricant with its free flowing low viscosity properties penetrates between tightly fitted surfaces. It softens the bonding oxidation matrix so that nuts and other frozen components can be loosened and be removed.

APPLICATION:

Omega 638 as a universal, odourless lubricant is ideal for maintenance application. It does no harm to plastics, paintwork, vinyl, leather and rubber. The lubricant can be applied in a sprayer, with a brush or in a dip tray.

TYPICAL DATA:

| TEST | ASTM TEST METHOD | TEST RESULT |
|--|---------------------|------------------|
| Appearance | Visual | Clear Colourless |
| Density, Kg/L @ 15°C | D-1298 | 0.838 |
| Viscosity, cSt @ 40°C | D-445 | 14 |
| Flash Point, PMCC, °C(°F) | D-93 | 95(167) |
| Pour Point, PMCC, °C(°F) | D-97 | -30(-22) |
| Water Displacement Characteristics | Proprietary | Pass |
| Rust Protection, Cast Iron Chips- RH 100%, 72 Hrs. @ 20°C | Proprietary | Pass |

SAFETY DATA SHEET



Product name: Omega 638
Supersedes date: 2019-11-13
Product No.:

Page: 1/12
Last revised date: 2022-12-20
SDS-ID: GB-EN/10.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 638
UFI: ESR1-801S-9003-32AD
Container size: 5 l, 20 l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Multipurpose oil. (Lubricant. , Rust inhibitor.)

1.3. Details of the supplier of the safety data sheet

| | | |
|----------------------|--|---|
| <u>Supplier:</u> | GB importer: | Sovereign Lubricants (UK) Ltd, Crowtrees Lane, Rastrick, West Yorkshire, HD6 3LZ |
| <u>Manufacturer:</u> | ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com | T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk |

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.
NHS: 111

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 2/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is classified: Asp. Tox. 1;H304

2.2. Label elements



Danger

Contains: Naphtha (petroleum), hydrotreated heavy
H304 May be fatal if swallowed and enters airways.

P260 Do not breathe vapours.

P331 Do NOT induce vomiting.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container as hazardous waste.
Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. The harmful effects may increase in used oil.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: mineral oil , organic solvents and additives .

All substances in the product are either registered or exempt from registration under REACH.
Only classified substances above threshold limits or substances with an exposure limit are shown.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 3/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

CLP:

| %: | CAS-No.: | EC No.: | REACH Reg. No: | Chemical name: | Hazard classification: | Notes: |
|--------|------------|-----------|-----------------------|---|----------------------------|--------|
| 10-30 | 64742-48-9 | 265-150-3 | 01-2119486659-16-0041 | Naphtha (petroleum), hydrotreated heavy | Asp. Tox. 1;H304 EUH066 | P |
| 60-100 | 8042-47-5 | 232-455-8 | - | White Oil, highly refined mineral oil of pharmaceutical quality | Asp. Tox. 1;H304 | |

Notes:

P: benzene < 0,1% (w/w)

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink 1-2 glasses of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Immediate transport to hospital. Bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. May cause an asthma-like shortness of breath. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 4/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.
Larger fires: Extinguish with foam, carbon dioxide or dry powder.
Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 5/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid inhalation of vapours/spray and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

Technical measures: Use work methods which minimise oil mist production.

Technical precautions: Mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): No information available.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 6/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

| <u>CAS-No.:</u> | <u>Chemical name:</u> | <u>As:</u> | <u>Exposure limits:</u> | <u>Type:</u> | <u>Notes:</u> | <u>References:</u> |
|-----------------|--|------------|-------------------------|--------------|---------------|--------------------|
| - | Normal and branched chain alkanes >=C7 (excluding n-Heptane) | - | 1200 mg/m3 | TWA | - | EH40 |

Notes:

EH40: EH40/2005.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.

Hand protection: Wear protective gloves.
The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Hygiene measures: Wash hands after contact. Wash contaminated clothing before reuse.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: Omega 638
Supersedes date: 2019-11-13
Product No.:

Page: 7/12
Last revised date: 2022-12-20
SDS-ID: GB-EN/10.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: White liquid / Oily.
Odour: Almost odourless.
Odour threshold: Not available.
pH: Not available.
Melting point / freezing point: Not available.
Boiling point: Not available.
Flash point: > 150°C
Evaporation rate: Not available.
Flammability (solid, gas): Not applicable.
Explosive limits Not available.
Vapour pressure: Not available.
Vapour density: Not available.
Relative density: ~ 0,9
Solubility: Insoluble in water.
Partition coefficient (n-octanol/water): Not available.
Auto-ignition temperature (°C): Not available.
Decomposition temperature (°C): Not available.
Viscosity: 14 mm²/s (40°C)
Explosive properties: Not available.
Oxidising properties: Not available.
9.2. Other information
Other data: Not available.

SAFETY DATA SHEET

Product name: Omega 638
Supersedes date: 2019-11-13
Product No.:

Page: 8/12
Last revised date: 2022-12-20
SDS-ID: GB-EN/10.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid None specific.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 9/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used oil.

| | |
|---|---|
| <u>Acute Toxicity (Oral):</u> | Based on available data, the classification criteria are not met. |
| <u>Acute Toxicity (Dermal):</u> | Based on available data, the classification criteria are not met. |
| <u>Acute Toxicity (Inhalation):</u> | Based on available data, the classification criteria are not met. |
| <u>Skin Corrosion/Irritation:</u> | Based on available data, the classification criteria are not met. |
| <u>Serious eye damage/irritation:</u> | Based on available data, the classification criteria are not met. |
| <u>Respiratory or skin sensitisation:</u> | Based on available data, the classification criteria are not met. |
| <u>Germ cell mutagenicity:</u> | Based on available data, the classification criteria are not met. |
| <u>Carcinogenicity:</u> | Based on available data, the classification criteria are not met. |
| <u>Reproductive Toxicity:</u> | Based on available data, the classification criteria are not met. |
| <u>STOT - Single exposure:</u> | Based on available data, the classification criteria are not met. |
| <u>STOT - Repeated exposure:</u> | Based on available data, the classification criteria are not met. |
| <u>Aspiration hazard:</u> | May be fatal if swallowed and enters airways. |

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing. The product contains organic solvents. In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

Prolonged or frequent inhalation of vapours in high concentrations may cause permanent damage to the nervous system, including the brain.

Skin contact: Degreasing. Prolonged or frequent contact may cause redness, itching, irritation, eczema, skin cracking and oil acne.
Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

Eye contact: Splashes may irritate.

Ingestion: Low order of acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonitis.

11.2. Information on other hazards

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 10/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Oil spills are generally hazardous to the environment.

12.2. Persistence and degradability

Degradability: The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: The product is insoluble in water and will spread on the water surface.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects: The product contains volatile, organic compounds which have a photochemical ozone creation potential.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 13 02 05

Contaminated packaging: Dispose of contaminated packings as residue.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 11/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended.
EH40/2005, Workplace exposure limits 2005, with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 638 | Page: | 12/12 |
| Supersedes date: | 2019-11-13 | Last revised date: | 2022-12-20 |
| Product No.: | | SDS-ID: | GB-EN/10.0 |

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 2, 4, 6, 11, 12, 13, 16.

Omega Manufacturing Division
13th floor, Unit B, PAX Tower, 609 Eonju-ro,
Gangnam-Gu, Seoul, Korea 06108
Tel : +82-2-2088-3560
Fax : +82-2-513-3567
Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

used in the safety data sheet: CSA= Chemical Safety Assessment.
PBT = Persistent, Bioaccumulative and Toxic.
vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

| | |
|--------|---|
| H304 | May be fatal if swallowed and enters airways. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
