



## **DESCRIPTION:**

Omega 609 is an all-new, Food Grade Air-Line Lubricant made from the purest, refined base oils that heralds a new level of safety with inbuilt safeguards should the product accidentally or through operating conditions, come into incidental contact with food or beverage processing, pharmaceutical, or sanitation process equipment.

# SUPERIOR STABILITY UNDER VIRTUALLY ANY CONDITION:

Omega 609 features an extremely stable viscosity profile under varying operating

conditions and maintains its consistent flow characteristics at virtually any operating temperature that air line equipment is normally subjected to.

Unlike ordinary lubricants, Omega 609 shows very little viscosity fluctuation under high or low operating temperature conditions and even under cyclic temperature conditions. This characteristic provides "peace-of-mind" lubrication that engineers often require but seldom obtain from ordinary low-performance lubricants.

# HIGH PERFORMANCE LUBRICANT:

Due to the air pressures and contaminants often inherent with the operation of air-line equipment, the ability of Omega 609 to prevent the formation of blockage elements in valves, airways, nozzles and hoses provides enhanced safety, coupled with consistent operating environment air pressures.

Omega 609 positively prevents 'curdling' when it comes into contact with water and/or moisture and cannot therefore interfere or form hard blockages at the connection stages of air line equipment. Omega 609 ensures free flowing properties are maintained throughout the equipment on which it is used.

# SAFETY SUPERIOR TO ANY ORDINARY LUBRICANT:

Omega 609 easily meets or exceeds safety requirements due to its Food Grade qualities of purity and its high performance lubrication which maintains equipment in top operating condition. Omega 609 also satisfies the lubrication requirements for pneumatic air-tools that require a high purity lubricant.

# **OUTSTANDING PROTECTION FROM OXIDATION:**

Omega 609 contains special additives that provide outstanding resistance to oxidation. This protection extends to all feedlines and parts through which Omega 609 flows. This outstanding oxidation resistance property is extremely important to machinery and parts life due to the continuous introduction of air in air line equipment which causes ordinary oils to oxidize rapidly.

Omega 609 also feature negligible "volume displacement" action to resist foaming more effectively than ordinary air line lubes. This provides additional operational savings since feedline foaming causes wastage by increasing application feed rates unnecessarily.

The combination of far superior oxidation resistance and lower foaming provides for substantial long term savings for air line systems using Omega 609.



OPIM609-1	Ver. 2.0	Rev. 3.0
Rev. Date: 2 Ja	an 2019	
Reference: CK	L	

# **TYPICAL DATA:**

TEST	ASTM	TEST RESULT	
TEST	TEST METHOD	SAE10	
ISO Viscosity Grade	D-2422	32	
Appearance	Visual	Water White	
Density, Kg/L @ 15°C	D-1298	0.869	
Viscosity, cSt @ 40°C	D-445	32	
Viscosity, cSt @100°C	D-445	5.8	
Viscosity Index	D-2270	116	
Flash Point, COC, °C(°F)	D-92	198 (388)	
Pour Point, °C(°F)	D-97	-15 (5)	
Total Acid Number, mg KOH/g	D-974	0.8	
Forming Characteristics -			
All Sequences, After Settling	D-892	Nil	
FZG Gear Test, Failure Stage Load	DIN 51354	11	
Rust-Preventing Characteristics,	D-665 (B)	Pass	
Copper Strip Corrosion, 3 hours @ 100°C	D-130	1b	
Oxidation Characteristics, Hours to TAN 2.0	D-943	>1200	
Zinc, % Mass	-	Nil	
Ash, % Mass	-	Nil	



OPIM609-2	Ver. 2.0	Rev. 3.0
Rev. Date: 2 Ja	an 2019	
Reference: CK	L	



			The Ultimate Lubricant
Product name:	Omega 609	Page:	1/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0
	TION OF THE SUBSTANCE		
COMPANY/UNDERTAKIN		MILTORE AND OF THE	
1.1. Product identifier			
Product name:	Omega 609		
<u>Container size:</u>	51		
1.2. Relevant identified uses	of the substance or mixture and	l uses advised against	
Application:	Lubricant oil		
1.3. Details of the supplier of	the safety data sheet		
Supplier:	GB importer:	Sovereign Lubricants (UK) Ltd, Crowtr	rees Lane,
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com	Rastrick, West Yorkshire, HD6 3LZ T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk	
Further information can be obtained from:	magna@magnagroup.com		
1.4. Emergency telephone nu	umber		
Emergency telephone:	Call a Poison Center, emerge	ency number or doctor/physician.	
SECTION 2: HAZARDS II	DENTIFICATION		
2.1. Classification of the subs	stance or mixture		
CLP:	The product is not classified.		
2.2. Label elements	The substance/mixture does	not meet the criteria for classificatio	n and labelling.
2.3. Other hazards			
PBT/vPvB:	This product does not contair	any PBT or vPvB substances.	

 Other:
 Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. Degreasing to skin. The harmful effects may increase in used oil.

 The product contains a small amount of a substance which is harmful to aquatic organisms.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product name:	Omega 609	Page:	2/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

The product contains: white mineral oil and additives.

All substances in the product are either registered or exempt from registration under REACH.

Only classified substances above threshold limits or substances with an exposure limit are shown.

CLP:						
<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	8042-47-5	232-455-8	-	White mineral oil (petroleum)	-	L
Notes:						
		L: DMSO <	3% (IP 346)			

### **SECTION 4: FIRST AID MEASURES**

4.1. Description of first aid measures			
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.		
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.		
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.		
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.		

4.2. Most important symptoms and effects, both acute and delayed

**<u>4.3. Indication of any immediate medical attention and special treatment needed</u>** <u>Medical attention/treatments:</u> Treat symptomatically.

Product name:	Omega 609	Page:	3/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### SECTION 5: FIREFIGHTING MEASURES

SECTION 5. TIKELIGHTIN			
5.1. Extinguishing media			
Extinguishing media:	Small fires: Extinguish with carbon dioxide or dry powder. Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising fr	om the substance or mixture		
Specific hazards:	During fire, gases hazardous to health may be formed.		
5.3. Advice for firefighters			
Protective equipment for fire- fighters:	Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.		
SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions:	Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions:	Do not discharge into drains, water courses or onto the ground.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up:	Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material.		
6.4. Reference to other sectio	<u>ns</u>		
<u>References:</u>	For personal protection, see section 8. For waste disposal, see section 13.		

Product name:	Omega 609	Page:	4/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

<u>Safe handling advice:</u>	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.
Technical measures:	Use work methods which minimise oil mist production.
Technical precautions:	When working with heated oil, mechanical ventilation may be required.
7.2. Conditions for safe stora	ge, including any incompatibilities
<u>Technical measures for safe</u> storage:	No special precautions.

<u>Storage conditions:</u> Store in tightly closed original container.

### 7.3. Specific end use(s)

Not relevant.

Product name:	Omega 609	Page:	5/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No occupational exposure limit assigned.

8.2.	Exposure	controls

Engineering measures:	Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended. Thickness: >0.3 mm; Breakthrough time: >240min. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eve protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear apron or protective clothing in case of splashes.
Hygiene measures:	Wash hands after handling. Wash contaminated clothing before reuse.
Environmental Exposure Controls:	Not available.

Product name:	Omega 609	Page:	6/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state:	White liquid , Oily.
<u>Odour:</u>	Almost odourless.
Odour threshold:	Not available.
<u>pH:</u>	Not available.
Melting point / freezing point:	Not available.
Boiling point:	Not available.
Flash point:	> 200°C
Evaporation rate:	Not available.
Flammability (solid, gas):	Not applicable.
Explosive limits	Not available.
Vapour pressure:	Not available.
<u>Vapour density:</u>	Not available.
Relative density:	~ 0,9
<u>Solubility:</u>	Immiscible with water.
Partition coefficient (n- octanol/water):	Not available.
<u>Auto-ignition</u> temperature (°C):	Not available.
Decomposition temperature (°C):	Not available.
<u>Viscosity:</u>	~ 32 mm²/s (40 °C)
Explosive properties:	Not available.
Oxidising properties:	Not available.
9.2. Other information	
<u>Other data:</u>	Not available.

Product name:	Omega 609	Page:	7/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

<b>SECTION 10: STABILITY</b>	AND REACTIVITY	
10.1. Reactivity		
Reactivity:	Not reactive.	
10.2. Chemical stability		
Stability:	Stable under normal temperature conditions.	
10.3. Possibility of hazardous reactions		
10.4. Conditions to avoid		
Conditions to avoid	Heat, sparks, flames.	
10.5. Incompatible materials		
Incompatible materials:	Strong oxidising substances.	
10.6. Hazardous decompositi	ion products	
Hazardous decomposition products:	None in particular.	

Product name:	Omega 609	Page:	8/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

The harmful effects may increase in used oil.

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.	
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.	
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.	
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.	
Carcinogenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:	Based on available data, the classification criteria are not met.	
STOT - Single exposure:	Based on available data, the classification criteria are not met.	
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.	
Aspiration hazard:	Based on available data, the classification criteria are not met.	
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.	
Skin contact:	Degreasing. Prolonged or frequent contact may cause redness, itching, irritation, eczema, skin cracking and oil acne.	
Eve contact:	Splashes may irritate.	
Ingestion:	May irritate and cause malaise.	
Specific effects:	Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.	
11.2. Information on other hazards		

Endocrine disrupting	The product does not contain any substance identified as having endocrine
properties:	disrupting properties.

Product name:	Omega 609	Page:	9/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0
SECTION 12: ECOLOGICA	AL INFORMATION		
12.1. Toxicity			
Ecotoxicity:	Oil spills are generally hazardous to the enviro	nment.	
12.2. Persistence and degrada	ability		
Degradability:	The product is expected to be slowly biodegra	dable.	
12.3. Bioaccumulative potentia	al		
Bioaccumulative potential:	No data available on bioaccumulation.		
12.4. Mobility in soil			
<u>Mobility:</u>	No data available.		
12.5. Results of PBT and vPvI	3 assessment		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPv	B substances.	
12.6. Endocrine disrupting pro	perties		
Endocrine disrupting properties:	The product does not contain any substance in disrupting properties.	lentified as having endo	crine
12.7. Other adverse effects			
Other adverse effects:	None known.		
SECTION 13: DISPOSAL	CONSIDERATIONS		
13.1. Waste treatment method	ls		
Dispose of waste and residues hazardous waste.	s in accordance with local authority requirement	s. Waste is classified as	

Waste from residues: EWC-code: 13 02 05

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

Product name:	Omega 609	Page:	10/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

### 14.1. UN number

UN-No:

### 14.2. UN proper shipping name

Proper Shipping Name:

### 14.3. Transport hazard class(es)

Class:

### 14.4. Packing group

<u>PG:</u>

### 14.5. Environmental hazards

Marine pollutant:

### Environmentally Hazardous

substance:

#### 14.6. Special precautions for user

<u>Special precautions:</u> None known.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

### SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended
	<ul> <li>720), as amended.</li> <li>EH40/2005, Workplace exposure limits 2005, with amendments.</li> <li>The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).</li> </ul>

#### 15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 609	Page:	11/11
Supersedes date:	2019-08-20	Last revised date:	2022-12-30
Product No.:		SDS-ID:	GB-EN/8.0

### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.1, 2, 4, 6, 7, 8, 11, 12, 13, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

<u>used in the safety data sheet:</u> CSA= Chemical Safety Assessment. PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.