

Product name:	Omega 648	Page:
Supersedes date:	2023-05-04	Last rev
Product No.:		SDS-ID

Page:	1/11
Last revised date:	2023-06-19
SDS-ID:	GB-EN/10.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	-	
1.1. Product identifier		
Product name:	Omega 648	
1.2. Relevant identified uses of	of the substance or mixture and	<u>d uses advised against</u>
Application:	Lubricant.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier:	GB importer:	Sovereign Lubricants (UK) Ltd, Crowtrees Lane,
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th FI., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com	Rastrick, West Yorkshire, HD6 3LZ T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk
Further information can be obtained from:	magna@magnagroup.com	

1.4. Emergency telephone number

Emergency telephone:	Call a Poison Center, emergency number or doctor/physician.
	NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP:

The product is not classified.

2.2. Label elements

2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

<u>Other:</u> The product contains a small amount of a substance which is harmful to aquatic organisms.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

All substances in the product are either registered or exempt from registration under REACH. No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

Product name:	Omega 648	Page:	2/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
85-95	68515-58-2	271-100-1	-	1,2,4-Benzenetricarboxylic acid, mixed branched and linear heptyl and nonyl and undecyl esters	Not Determined	
0-10	9003-27-4		-	Polyisobutene	Aquatic Chronic 4;H413	
0-<3	68411-46-1	270-128-1	-	Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene	Repr. 2;H361f Aquatic Chronic 3;H412	

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.
4.2. Most important symptoms	and effects, both acute and delayed
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.

$\underline{\textbf{4.3. Indication of any immediate medical attention and special treatment needed}$

Medical attention/treatments: Treat symptomatically.

Product name:	Omega 648	Page:	3/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:	Small fires: Extinguish with carbon dioxide or dry powder.
	Larger fires: Extinguish with foam, carbon dioxide or dry powder.
	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Cool containers/tanks with water spray. Do not allow run-off from fire fighting to enter drains and water courses.

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
fighters:	precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

 Environmental
 Do not discharge into drains, water courses or onto the ground.

 precautions:
 Containment and cleaning up

 Methods for cleaning up:
 Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

References:

For personal protection, see section 8. For waste disposal, see section 13.

Product name:	Omega 648	Page:	4/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u>	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.
Technical measures:	Use work methods which minimise oil mist production.
Technical precautions:	When working with heated oil, mechanical ventilation may be required.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. Protect from heat and direct sunlight.
7.3. Specific end use(s)	
<u>Specific use(s):</u>	Lubricant.

Product name:	Omega 648	Page:	5/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls	
Engineering measures:	Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eve protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear apron or protective clothing in case of splashes.
Hygiene measures:	Wash hands after contact. Wash contaminated clothing before reuse.
Environmental Exposure Controls:	Not available.

Product name:	Omega 648	Page:	6/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form:	Liquid.
<u>Colour:</u>	Yellow.
<u>Odour:</u>	Mild.
Odour threshold:	Not available.
<u>pH:</u>	Not available.
Melting point / freezing point:	Not available.
Boiling point:	Not available.
Flash point:	>220 °C
Evaporation rate:	Not available.
Flammability (solid, gas):	Not relevant.
Explosive limits	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	0,95
Solubility:	Not available.
Partition coefficient (n- octanol/water):	Not available.
<u>Auto-ignition</u> temperature (°C):	Not available.
Decomposition temperature (°C):	Not available.
<u>Viscosity:</u>	150 mm²/s (40°C)
Explosive properties:	Not available.
Oxidising properties:	Not available.
9.2. Other information	
<u>Other data:</u>	Not available.

Product name: Supersedes date:	Omega 648 2023-05-04	Page: Last revised date:	7/11 2023-06-19
Product No.:	2020 00 04	SDS-ID:	GB-EN/10.0
SECTION 10: STABILITY	AND REACTIVITY		
10.1. Reactivity			
Reactivity:	Not reactive.		
10.2. Chemical stability			
<u>Stability:</u>	Stable under normal temperature conditions.		
10.3. Possibility of hazardous	s reactions		
Hazardous Reactions:	Hazardous polymerisation will not occur.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of igniti temperatures or direct sunlight.	on. Avoid exposure to hi	igh

10.5. Incompatible materials

Incompatible materials: Strong oxidizing agents. Combustible materials.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> Carbon oxides (CO, CO2) products:

Product name:	Omega 648	Page:	8/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Eye contact:	Splashes may irritate.
Ingestion:	May irritate and cause malaise.
Toxicological data:	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene LD50 (oral, rat): > 5000 mg/kg LD50 (dermal, rat) > 2000 mg/kg.

11.2. Information on other hazards

Endocrine disruptingThe product does not contain any substance identified as having endocrine
disrupting properties.

Product name:	Omega 648	Page	9/11
Supersedes date:	2023-05-04	Page: Last revised date:	2023-06-19
Product No.:	2020 00 04	SDS-ID:	GB-EN/10.0
SECTION 12: ECOLOGIC			
12.1. Toxicity			
Ecotoxicity:	There are no data on the ecotoxicity of this pr	oduct.	
12.2. Persistence and degrad	lability		
Degradability:	There are no data on the degradability of this	product.	
12.3. Bioaccumulative potent	ial		
Bioaccumulative potential:	No data available on bioaccumulation.		
<u>Biodocamalativo potomiai.</u>			
12.4. Mobility in soil			
<u>Mobility:</u>	No data available.		
	-D assessment		
12.5. Results of PBT and vPv			
<u>PBT/vPvB:</u>	This product does not contain any PBT or vP	VB substances.	
12.6. Endocrine disrupting pr	operties		
Endocrine disrupting	The product does not contain any substance	identified as having end	ocrine
properties:	disrupting properties.		
12.7. Other adverse effects			
Other adverse effects:	None known.		
SECTION 13: DISPOSAL	CONSIDERATIONS		
13.1. Waste treatment metho	ds		
Dispose of waste and residue	es in accordance with local authority requiremen	nts.	
Waste from residues:	EWC-code: 13 02 06		

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

Product name:	Omega 648	Page:	10/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

<u>Special precautions:</u> None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended
	 720), as amended. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 648	Page:	11/11
Supersedes date:	2023-05-04	Last revised date:	2023-06-19
Product No.:		SDS-ID:	GB-EN/10.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2, 3, 9, 10, 11, 12, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms	
used in the safety data sheet:	CSA= Chemical Safety Assessment.
	LD50 = Lethal Dose 50%.
	PBT = Persistent, Bioaccumulative and Toxic.
	vPvB = very Persistent and very Bioaccumulative.
Additional information:	Classification according to Regulation (EC) No. 1272/2008: Calculation method.
Wording of H-statements:	
H361f	Suspected of damaging fertility.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.