

Product name: Supersedes date: Product No.:

Omega 66 2020-12-10

Page:

SDS-ID:

1/11 Last revised date: 2023-03-28 GB-EN/6.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Omega 66 Product name: UFI: YN50-R07Q-3000-QS5V

Container size: 400g cartridges, 5 kg, 15 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.

1.3. Details of the supplier of the safety data sheet

Supplier:	GB importer:	Sovereign Lubricants (UK) Ltd, Crowtrees Lane, Rastrick, West Yorkshire, HD6 3LZ
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com	T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician. NHS: 111

Product name:	Omega 66	Page:	2/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 2: HAZARDS I	DENTIFICATION	
2.1. Classification of the substance or mixture		
<u>CLP:</u>	Eye Irrit. 2;H319	
2.2. Label elements		
	Warning	
H319	Causes serious eye irritation.	
P280	Wear eye protection.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337 + P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container as hazardous waste.	
	Contains: Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxid, propylenoxide and amines, C12-14 alkyl (branched); Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N May produce an allergic reaction.	
2.3. Other hazards		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.	
<u>Other:</u>	Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease. The product contains a small amount of a substance which is harmful to aquatic organisms.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: mineral oil and additives.

Only classified substances above threshold limits are shown. All substances in the product are either registered or exempt from registration under REACH.

Product name:	Omega 66	Page:	3/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

CLP:

References:

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	REACH Reg. No:	Chemical name:	Hazard classification	<u>ı:</u>	Notes:
10-20	84961-70-6	284-660-7	01-2119485843-26- XXXX	Benzene, mono-C10-13- alkyl derivs., distn. residues	Asp. Tox. 1;H304		
0.1- <2.5	68457-79-4	270-608-0	01-2119493628-22- XXXX-XXXX	Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 2;H41	1	SCL
0.1-1	-	931-384-6	01-2119493620-38- XXXX	Reaction products of bis(2- methylpentan-2- yl)dithiophosphoric acid with phosphorus oxid, propylenoxide and amines, C12-14 alkyl (branched)	Acute Tox. 4;H302 Eye Dam. 1;H318 Skin Sens. 1;H317 Aquatic Chronic 2;H41	1	SCL
<1	-	939-700-4	01-2119982395-25- XXXX	Reaction mass of 1H- Benzotriazole-1- methanamine, N,N-bis(2- ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- methanamine, N,N-bis(2- ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4- methyl-1H-benzotriazole-1- methylamine and 2H- Benzotriazole-2- methanamine, N,N-	Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 2;H41	1	
	cal name:	12 allocidation	- dista rasiduas	<u>SCL</u>		<u>M</u> (ac)	<u>M</u> (chr)
		2	s., distn. residues				
Phosph	orodithioic aci	d, mixed O,O-	-bis(iso-Bu and pentyl)	Skin Irrit. 2;H315: C ≥ 1	5%		

Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) Skin Irrit. 2:H315: C ≥ 15% esters, zinc salts Eye Dam. 1;H318: C ≥ 3% Eye Irrit. 2;H319: C ≥ 3% Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric Eye Dam. 1;H318: 50% ≤ C <100% acid with phosphorus oxid, propylenoxide and amines, C12-14 alkyl (branched) Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2 1 -ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-Notes: SCL = Specific Concentration Limit. DMSO-content < 3%

The full text for all hazard statements is displayed in section 16.

Product name:	Omega 66	Page:	4/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid me	pasures
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.
	and offering both provide and delayed

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:	Small fires: Extinguish with carbon dioxide or dry powder.
	Larger fires: Extinguish with foam, carbon dioxide or dry powder.
	Do not use water jet as an extinguisher, as this will spread the fire.
	Move container from fire area if it can be done without risk.

5.2. Special hazards arising from the substance or mixture

Specific hazards:During fire, gases hazardous to health may be formed.Do not allow runoff to sewer, waterway or ground.

5.3. Advice for firefighters

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
fighters:	precautions indicated in the workplace.

Product name:	Omega 66	Page:	5/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, pr	otective equipment and emergency procedures
Personal precautions:	Avoid contact with skin and eyes. Eliminate all sources of ignition. Follow precautions for safe handling described in this safety data sheet.
6.2. Environmental precautio	<u>ns</u>
Environmental precautions:	Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for	r containment and cleaning up
Methods for cleaning up:	Absorb in vermiculite, dry sand or earth and place into containers. Clean contaminated area with oil-removing material.
6.4. Reference to other section	ons
<u>References:</u>	For personal protection, see section 8. For waste disposal, see section 13.
SECTION 7: HANDLING	AND STORAGE
SECTION 7: HANDLING A	

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. (5-40°C) Protect against direct sunlight.

7.3. Specific end use(s)

S	pecific use(s):	Lubricant

Product name:	Omega 66	Page:	6/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

|--|

Engineering measures:	Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.
Hand protection:	Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Breakthrough time: > 4h; Thickness: > 0.3 mm The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eve protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures:	Wash hands after contact. Change contaminated clothing.
Environmental Exposure Controls:	Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Grease.
<u>Colour:</u>	Blue.
<u>Odour:</u>	Characteristic.
Flash point:	>200 °C
Relative density:	0,89 (20°C)
<u>Solubility:</u>	Not available.
<u>Viscosity:</u>	> 20.5 mm²/s (40°C)
9.2. Other information	
<u>Other data:</u>	Not available.

Product name:	Omega 66	Page:	7/11	
Supersedes date:	2020-12-10	Last revised date:	2023-03-28	
Product No.:		SDS-ID:	GB-EN/6.1	
SECTION 10: STABILITY AND REACTIVITY				
10.1. Reactivity				
<u>Reactivity:</u>	Not reactive.			

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

<u>Conditions to avoid</u> Avoid exposure to high temperatures or direct sunlight. Protect from moisture.

10.5. Incompatible materials

Incompatible materials: Avoid contact with acids and oxidising substances.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> During fire, gases hazardous to health may be formed. <u>products:</u>

Product name:	Omega 66	Page:	8/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects			
Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.		
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.		
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.		
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.		
Serious eye damage/irritation	: Causes serious eye irritation.		
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.		
Carcinogenicity:	Based on available data, the classification criteria are not met.		
Reproductive Toxicity:	Based on available data, the classification criteria are not met.		
STOT - Single exposure:	Based on available data, the classification criteria are not met.		
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.		
Aspiration hazard:	Based on available data, the classification criteria are not met.		
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.		
<u>Skin contact:</u>	Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The product contains a small amount of sensitising substance which may		
	provoke an allergic reaction among sensitive individuals.		
Eye contact:	Direct contact may irritate.		
Ingestion:	May irritate and cause malaise.		
Specific effects:	Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis.		
11.2. Information on other hazards			

Endocrine disrupting	The product does not contain any substance identified as having endocrine
properties:	disrupting properties.

Product name:	Omega 66	Page:	9/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 12: ECOLOGICAL INFORMATION			
<u>12.1. Toxicity</u>			
Ecotoxicity:	Greases are generally hazardous to the environment. The product contains a substance which is harmful to aquatic organisms.		
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6- methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H- Benzotriazole-2-methanamine, N,N-: M(ac) = 1		
12.2. Persistence and degrac	lability		
<u>Degradability:</u>	The product is expected to be slowly biodegradable.		
12.3. Bioaccumulative potent	ial		
Bioaccumulative potential:	No data available on bioaccumulation.		
<u>12.4. Mobility in soil</u>			
<u>Mobility:</u>	No data available.		
12.5. Results of PBT and vPv	<u>/B assessment</u>		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.		
12.6. Endocrine disrupting properties			
Endocrine disrupting properties:	The product does not contain any substance identified as having endocrine disrupting properties.		
12.7. Other adverse effects			
Other adverse effects:	None known.		
SECTION 13: DISPOSAL CONSIDERATIONS			
13.1. Waste treatment metho	ds		
Dispose of waste and residue hazardous waste.	es in accordance with local authority requirements. Waste is classified as		

<u>Waste from residues:</u> EWC-code: 20 01 26

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

Product name:	Omega 66	Page:	10/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

<u>Special precautions:</u> None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant. Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of
	16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.
	2677) with amendments.
	The Chemicals (Health and Safety) and Genetically Modified Organisms
	(Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended.
	The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 66	Page:	11/11
Supersedes date:	2020-12-10	Last revised date:	2023-03-28
Product No.:		SDS-ID:	GB-EN/6.1

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 11, 12, 13, 14, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel: +82-2-2088-3560 Fax: +82-2-513-3567 Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

<u>Abbreviations and acronyms</u> <u>used in the safety data sheet:</u> CSA= Chemical Safety Assessment.

> CSA= Chemical Safety Assessment. PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative. UFI = Unique Formula Identifier.

Additional information:

Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.