

| Product name: |
|------------------|
| Supersedes date: |
| Product No.: |

Omega 68 2019-02-14
 Page:
 1/11

 Last revised date:
 2023-01-01

 SDS-ID:
 GB-EN/4.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING** 1.1. Product identifier Omega 68 Product name: Container size: 400 mg / 5kg / 15kg 1.2. Relevant identified uses of the substance or mixture and uses advised against Application: Lubricating grease. 1.3. Details of the supplier of the safety data sheet Sovereign Lubricants (UK) Ltd, Crowtrees Lane, Supplier: GB importer: Rastrick, West Yorkshire, HD6 3LZ Manufacturer: ITW PP & F Korea Limited T: 01484 718674 - F: 01484 400164 13th Fl., Unit B, PAX Tower enquiries@sovereign-omega.co.uk 609 Eonju-ro, Gangnam-Gu www.sovereign-omega.co.uk Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com Further information can be magna@magnagroup.com obtained from: 1.4. Emergency telephone number Emergency telephone: Call a Poison Center, emergency number or doctor/physician. NHS: 111 SECTION 2: HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture

 2.1. Classification of the substance or mixture

 CLP:
 The product is not classified.

 2.2. Label elements

 The substance/mixture does not meet the criteria for classification and labelling.

 Safety data sheet available on request.

 2.3. Other hazards

 PBT/vPvB:
 This product does not contain any PBT or vPvB substances.

 Other:
 Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease.

 SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Product name: | Omega 68 | Page: | 2/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

The product contains: mineral oil and additives.

Only classified substances above threshold limits or substances with an exposure limit are shown. All substances in the product are either registered or exempt from registration under REACH.

CLP:

| <u>%:</u> | CAS-No.: | EC No.: | REACH Reg. No: | Chemical name: | Hazard classification: | Notes: |
|-----------|------------|-----------|----------------|--|---------------------------------------|--------|
| >70 | 8042-47-5 | 232-455-8 | - | White mineral oil (petroleum) |) - | L |
| 1-<10 | 61789-86-4 | 263-093-9 | - | Sulfonic acids, petroleum, calcium salts | Skin Sens. 1B;H317 | SCL |
| 1-<10 | 68584-23-6 | 271-529-4 | - | Benzenesulfonic acid, C10- 16-alkyl derivs., calcium salts | Skin Sens. 1B;H317 | SCL |
| 1-<10 | 70024-69-0 | 274-263-7 | - | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | Skin Sens. 1B;H317 | SCL |
| 1-<3 | 26264-06-2 | 247-557-8 | - | Calcium dodecylbenzenesulphonate | Skin Irrit. 2;H315 Eye Dam. 1;H318 | |

| Chemical name: | SCL | <u>M</u> (ac) | <u>M</u> (chr) |) |
|--|-----------------------------|------------------|-------------------|---|
| White mineral oil (petroleum) | | | - | - |
| Sulfonic acids, petroleum, calcium salts | Skin Sens. 1B;H317: C ≥ 10% | | - | - |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | Skin Sens. 1B;H317: C ≥ 10% | | - | - |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | Skin Sens. 1B;H317: C ≥ 10% | | - | - |
| Calcium dodecylbenzenesulphonate | | | - | - |
| Notes: | | | | |
| | L: DMSO < 3% (IP 346) | | | |

References:

The full text for all hazard statements is displayed in section 16.

| Product name: | Omega 68 | Page: | 3/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 4: FIRST AID MEASURES

| 4.1. Description of first aid measures | | |
|--|---|--|
| Inhalation: | Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions. | |
| Skin contact: | Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. | |
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions. | |
| Ingestion: | Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions. | |
| 4.2. Most important symptoms | s and effects, both acute and delayed | |

See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Symptoms/effects:

Extinguishing media:Small fires: Extinguish with carbon dioxide or dry powder.Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

| Protective equipment for fire- | Selection of respiratory protection for fire fighting: follow the general fire |
|--------------------------------|--|
| fighters: | precautions indicated in the workplace. |

| Product name: | Omega 68 | Page: | 4/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

| Personal precautions: | Avoid contact with skin and eyes. Follow precautions for safe handling described |
|-----------------------|--|
| | in this safety data sheet. |

6.2. Environmental precautions

| Environmental precautions: | Do not discharge into drains, water courses or onto the ground. |
|-------------------------------|--|
| 6.3. Methods and material for | containment and cleaning up |
| Methods for cleaning up: | Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material. |

6.4. Reference to other sections

| References: | For personal protection, see section 8. |
|-------------|---|
| | For waste disposal, see section 13. |

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

| Safe handling advice: | Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. |
|------------------------|---|
| Technical measures: | Work practice should minimise contact. |
| Technical precautions: | When working with heated grease, mechanical ventilation may be required. |

7.2. Conditions for safe storage, including any incompatibilities

| Technical measures for safe | Store in tightly closed original container. |
|-----------------------------|---|
| storage: | |
| Storage conditions: | Store in a cool and well-ventilated place. |

7.3. Specific end use(s)

<u>Specific use(s):</u> No information available.

| Product name: | Omega 68 | Page: | 5/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

|--|

| Engineering measures: | Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream. |
|-------------------------------------|--|
| Personal protection: | Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. |
| Respiratory equipment: | In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2. |
| Hand protection: | Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Breakthrough time: > 4h; Thickness: > 0.3 mm The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. |
| Eye protection: | Risk of contact: Wear goggles/face shield. |
| Hygiene measures: | Wash hands after handling. |
| Environmental Exposure Controls: | Not available. |

| Product name: | Omega 68 | Page: | 6/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1. Information on basic physical and chemical properties | | |
|--|---|--|
| Physical state: | Grease. | |
| <u>Colour:</u> | Light brown. | |
| <u>Odour:</u> | Weak. Characteristic. | |
| Odour threshold: | Not available. | |
| <u>pH:</u> | Not available. | |
| Melting point / freezing point: | Not determined. Not available. | |
| Boiling point: | 218 °CNot available. | |
| Flash point: | >112 °CNot available. | |
| Evaporation rate: | Not applicable. Not available. | |
| Flammability (solid, gas): | Not determined. | |
| Explosive limits | Not determined. Not available. | |
| Vapour pressure: | Not applicable. Not available. | |
| Vapour density: | Not available. | |
| Relative density: | ~0.96 | |
| <u>Solubility:</u> | Insoluble in water. | |
| Partition coefficient (n- octanol/water): | Not determined. | |
| <u>Auto-ignition</u> temperature (°C): | Not determined. | |
| Decomposition temperature (°C): | Not determined. Not available. | |
| Viscosity: | Not available. | |
| Explosive properties: | Not applicable. | |
| Oxidising properties: | Not applicable. | |
| 9.2. Other information | | |
| <u>Other data:</u> | Organic solvents. 0% Volatile Organic Compound (VOC): 0% | |

| Product name: | Omega 68 | Page: | 7/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

| SECTION 10: STABILITY | AND REACTIVITY | |
|---|---|--|
| 10.1. Reactivity | | |
| Reactivity: | Not reactive. | |
| 10.2. Chemical stability | | |
| <u>Stability:</u> | Stable under normal temperature conditions. | |
| 10.3. Possibility of hazardous | s reactions | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | None known. | |
| 10.5. Incompatible materials Incompatible materials: | Strong oxidising substances. | |
| 10.6. Hazardous decomposition products | | |
| Hazardous decomposition products: | None known. | |

| Product name: | Omega 68 | Page: | 8/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used grease.

| Acute Toxicity (Oral): | Based on available data, the classification criteria are not met. |
|--|---|
| Acute Toxicity (Dermal): | Based on available data, the classification criteria are not met. |
| Acute Toxicity (Inhalation): | Based on available data, the classification criteria are not met. |
| Skin Corrosion/Irritation: | Based on available data, the classification criteria are not met. |
| Serious eye damage/irritation: | Not classified. On basis of test data. |
| <u>Respiratory or skin</u> sensitisation: | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity: | Based on available data, the classification criteria are not met. |
| Carcinogenicity: | Based on available data, the classification criteria are not met. |
| Reproductive Toxicity: | Based on available data, the classification criteria are not met. |
| STOT - Single exposure: | Based on available data, the classification criteria are not met. |
| STOT - Repeated exposure: | Based on available data, the classification criteria are not met. |
| Aspiration hazard: | Based on available data, the classification criteria are not met. |
| Inhalation: | Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing. |
| Skin contact: | Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. |
| Eye contact: | Direct contact may irritate. |
| Ingestion: | May irritate and cause malaise. |
| Specific effects: | Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. |
| 11.2. Information on other haz | ards |

11.2. Information on other hazards

Endocrine disrupting
properties:The product does not contain any substance identified as having endocrine
disrupting properties.

| Product name: | Omega 68 | Page: | 9/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Greases are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> Not Classified as PBT/vPvB by current EU criteria.

12.6. Endocrine disrupting properties

<u>Endocrine disrupting</u> The product does not contain any substance identified as having endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

| Product name: | Omega 68 | Page: | 10/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| National regulation: | UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended |
|----------------------|--|
| | 720), as amended. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). |

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

| Product name: | Omega 68 | Page: | 11/11 |
|------------------|------------|--------------------|------------|
| Supersedes date: | 2019-02-14 | Last revised date: | 2023-01-01 |
| Product No.: | | SDS-ID: | GB-EN/4.0 |

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 6, 8, 11, 12, 13, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

| Abbreviations and acronyms | |
|--------------------------------|--|
| used in the safety data sheet: | CSA= Chemical Safety Assessment. |
| | PBT = Persistent, Bioaccumulative and Toxic. |
| | vPvB = very Persistent and very Bioaccumulative. |
| | |

| Wording of H-statements: | |
|--------------------------|--------------------------------------|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| | |

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.