

Product name:Omega 778Page:1/8Supersedes date:2016-01-29Last revised date:2020-08-05Product No.:SDS-ID:GB-EN/6.2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 778

Container size: 5 l

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Engine oil.

1.3. Details of the supplier of the safety data sheet

Supplier: Sovereign Lubricants (UK) Ltd, Crowtrees Lane,

Rastrick, West Yorkshire, HD6 3LZ T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk

Manufacturer ITW PP & F Korea Limited.

13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-gu Seoul, Korea 06108

Tel:+82-2-2088-3560 Fax:+82-2-513-3567 www.magnagroup.com

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Safety data sheet available on request.

2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation,

eczema, skin cracking and oil acne. Degreasing to skin. The harmful effects may increase in used oil. Oil spills are generally hazardous to the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: synthetic oils and additives .

No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

Product name: Omega 778 Page: 2/8

Supersedes date: 2016-01-29 Last revised date: 2020-08-05

Product No.: SDS-ID: GB-EN/6.2

CLP:

<u>%: CAS-No.: EC No.: REACH Reg. No: Chemical name: Hazard classification: Notes:</u>

60-100 68037-01-4 500-183-1 01-2119486452-34- Polyalphaolefin

XXXX

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing or after inhalation of oil mist: Seek medical attention and bring along

these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring along these instructions.

<u>Ingestion:</u> Do not induce vomiting. If vomiting occurs, keep head low so that stomach

content doesn't get into the lungs. Rinse mouth with water. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> Repeated or prolonged contact may cause defatting of the skin resulting in

dryness, cracking and dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

In case of ingestion: Get medical attention.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

Product name:Omega 778Page:3/8Supersedes date:2016-01-29Last revised date:2020-08-05Product No.:SDS-ID:GB-EN/6.2

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for

safe handling described in this safety data sheet.

6.2. Environmental precautions

<u>Environmental</u> Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing

or shoes, and do not put rags moistened with oil into pockets.

Technical measures: Use work methods which minimise oil mist production.

<u>Technical precautions:</u> When working with heated oil, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

 Product name:
 Omega 778
 Page:
 4/8

 Supersedes date:
 2016-01-29
 Last revised date:
 2020-08-05

 Product No.:
 SDS-ID:
 GB-EN/6.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation and minimise the risk of inhalation of vapours and

oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty

cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the relevant

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable

respiratory equipment with combination filter (type A2/P3) can be used.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended, but

be aware that the liquid may penetrate the gloves. Frequent change is

advisable. Other types of gloves can be recommended by the glove supplier.

Eye protection: Risk of contact: Wear goggles/face shield.

<u>Hygiene measures:</u> Wash hands after contact. Wash contaminated clothing before reuse.

Environmental Exposure

Controls:

Not available.

Product name: Omega 778 Page: 5/8
Supersedes date: 2016-01-29 Last revised date: 2020-08-05

Product No.: SDS-ID: GB-EN/6.2

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Liquid.

Odour:Almost odourless.pH:Not applicable.Melting point / freezing point:Not availableBoiling point:Not availableFlash point:> 150°CEvaporation rate:Not available

Evaporation rate: Not available.

Flammability (solid, gas): Not applicable.

Explosive limits Not available

Vapour pressure: Not available.

Vapour density: Not available.

Relative density: ~ 0,9

Solubility: Insoluble in water.(< 0,1 %)

Partition coefficient (n-

octanol/water):

Not available.

<u>Auto-ignition</u> Not available.

temperature (°C):

Decomposition Not available.

temperature (°C):

Viscosity: ~ 173 mm²/s @ 40°C

9.2. Other information

Other data: Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition

None in particular.

products:

Product name:Omega 778Page:6/8Supersedes date:2016-01-29Last revised date:2020-08-05Product No.:SDS-ID:GB-EN/6.2

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

sensitisation:

Germ cell mutagenicity:

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Inhalation of oil mist or vapours formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or frequent contact may cause redness, itching, eczema

and skin cracking.

Eye contact: Splashes may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

<u>Specific effects:</u> Prolonged or repeated contact with used oil may cause serious skin diseases,

such as dermatitis. The harmful effects may increase in used oil.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Oil spills are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is slowly degradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: None known.

Product name:	Omega 778	Page:	7/8
Supersedes date:	2016-01-29	Last revised date:	2020-08-05
Product No.:		SDS-ID:	GB-EN/6.2

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 13 02 06

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u>

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

<u>PG:</u> -

14.5. Environmental hazards

Marine pollutant: Environmentally Hazardous -

substance:

14.6. Special precautions for user

Special precautions:

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> -

 Product name:
 Omega 778
 Page:
 8/8

 Supersedes date:
 2016-01-29
 Last revised date:
 2020-08-05

 Product No.:
 SDS-ID:
 GB-EN/6.2

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No information available.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1

Omega Manufacturing Division

13th floor, Unit B, PAX Tower, 609 Eonju-ro,

Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.