

Product name: Supersedes date: Product No.:
 Page:
 1/12

 Last revised date:
 2023-01-19

 SDS-ID:
 GB-EN/4.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product identifier

Product name:Omega 78Container size:400 ml / 5 kg / 15 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Grease.

Omega 78

2019-11-01

Application:

1.3. Details of the supplier of the safety data sheet

Supplier:	GB importer:	Sovereign Lubricants (UK) Ltd, Crowtrees Lane,
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com	Rastrick, West Yorkshire, HD6 3LZ T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk
	web en	

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician. NHS: 111

Product name:	Omega 78	Page:	2/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 2: HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture CLP: The product is classified: Eye Irrit. 2;H319 2.2. Label elements Warning H319 Causes serious eye irritation. P280 Wear eye protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container as hazardous waste. Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an allergic reaction. 2.3. Other hazards PBT/vPvB: This product does not contain any PBT or vPvB substances. Prolonged or repeated contact with skin may cause redness, itching, irritation and Other:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown. All substances in the product are either registered or exempt from registration under REACH.

eczema/chapping. The harmful effects may increase in used grease.

Product name:	Omega 78	Page:	3/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	<u>Notes:</u>
60-100	8042-47-5	232-455-8	-	White Oil, highly refined mineral oil of pharmaceutical quality	-	L
5 - 10	64742-70-7	265-174-4	-	Paraffin oils (petroleum), catalytic dewaxed heavy	-	L
5 - 10	64742-65-0	265-169-7	-	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil- unspecified	Asp. Tox. 1;H304	
1-5	68584-23-6	271-529-4	-	Benzenesulfonic acid, C10- 16-alkyl derivs., calcium salts	Skin Sens. 1B;H317	SCL
1-5	61789-86-4	263-093-9	-	Sulfonic acids, petroleum, calcium salts	Eye Irrit. 2;H319	
1-<3	26264-06-2	247-557-8	-	Calcium dodecylbenzenesulphonate	Acute Tox. 4;H302 Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 4;H413	

Chemical name:	<u>SCL</u>
White Oil, highly refined mineral oil of pharmaceutical quality	
Paraffin oils (petroleum), catalytic dewaxed heavy	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil-unspecified	
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Skin Sens. 1B;H317: C ≥ 10%
Sulfonic acids, petroleum, calcium salts	
Calcium dodecylbenzenesulphonate	
Notes:	L: DMSO < 3% (IP 346) SCL = Specific Concentration Limit.
References:	The full text for all hazard statements is displayed in section 16.

Product name:	Omega 78	Page:	4/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures		
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.	
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.	
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.	
4.2. Most important symptom	s and effects, both acute and delayed	

See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Symptoms/effects:

Extinguishing media:Small fires: Extinguish with carbon dioxide or dry powder.Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
fighters:	precautions indicated in the workplace.

Product name:	Omega 78	Page:	5/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Avoid contact with skin and eyes. Follow precautions for safe handling described
	in this safety data sheet.

6.2. Environmental precautions

Environmental precautions:	Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up:	Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material.

6.4. Reference to other sections

References:	For personal protection, see section 8.
	For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice:	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.	
Technical measures:	Work practice should minimise contact.	
Technical precautions:	When working with heated grease, mechanical ventilation may be required.	
7.2. Conditions for safe storage, including any incompatibilities		

Technical measures for safe No special precautions. storage:

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s): No information available.

Product name:	Omega 78	Page:	6/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

|--|

Engineering measures:	Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.
Hand protection:	Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Thickness: >0.3 mm ; Breakthrough time: >240min. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eye protection:	Risk of contact: Wear goggles/face shield.
Hygiene measures:	Wash hands after handling.
<u>Environmental Exposure</u> <u>Controls:</u>	Not available.

Product name:	Omega 78	Page:	7/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties		
Physical state:	Paste.	
<u>Colour:</u>	Tan.	
<u>Odour:</u>	Mild. Hydrocarbon.	
<u>pH:</u>	Not applicable.	
Melting point / freezing point:	Not applicable.	
Boiling point:	Not applicable.	
Flash point:	> 180 °C	
Evaporation rate:	Not determined.	
Flammability (solid, gas):	Not relevant.	
Explosive limits	not available	
Vapour pressure:	< 0.0008 hPa	
Relative density:	0,95 - 1,05	
<u>Solubility:</u>	insoluble in water	
Partition coefficient (n- octanol/water):	Not available.	
<u>Auto-ignition</u> temperature (°C):	Not available.	
Decomposition temperature (°C):	not available	
<u>Viscosity:</u>	Not determined.	
Explosive properties:	Non-explosive	
Oxidising properties:	Non-oxidising	
9.2. Other information		
<u>Other data:</u>	Not relevant.	

Product name:	Omega 78	Page:	8/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 10: STABILITY	AND REACTIVITY
10.1. Reactivity	
Reactivity:	Not reactive.
10.2. Chemical stability	
<u>Stability:</u>	Stable under normal temperature conditions.
10.3. Possibility of hazardous	reactions
Hazardous Reactions:	None known.
10.4. Conditions to avoid	
Conditions to avoid	Water, moisture.
10.5. Incompatible materials	
Incompatible materials:	Acids. Bases. Strong oxidising substances.
10.6. Hazardous decomposition	on products
Hazardous decomposition products:	None in particular.

Product name:	Omega 78	Page:	9/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used grease.

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
Skin contact:	Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.
Eye contact:	Irritating and may cause redness and pain.
Ingestion:	May irritate and cause malaise.
Specific effects:	Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.
Toxicological data:	ATE (Oral): >5000 mg/kg (calculated)

11.2. Information on other hazards

Endocrine disrupting	The product does not contain any substance identified as having endocrine
properties:	disrupting properties.

Product name:	Omega 78	Page:	10/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 12: ECOLOGICAL INFORMATION

<u>12.1. Toxicity</u>		
<u>Ecotoxicity:</u>	The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment. Calcium dodecylbenzenesulphonate LC50 (Fish, Cyprinus carpio (48 h): 2.8 - 4.2 mg/l EC50 (Daphnia magna, 48 hours): 2.9 mg/l EC50 (Algae, Scenedesmus capricornutum, 96 H): 29 mg/l NOEC (Water flea, 21 days): 1.18 mg/l Greases are generally hazardous to the environment.	
12.2. Persistence and degrad		
Degradability:	No data available.	
12.3. Bioaccumulative potenti	al	
Bioaccumulative potential:	No data available on bioaccumulation.	
<u>12.4. Mobility in soil</u>		
<u>Mobility:</u>	No data available. The product is insoluble in water and will spread on the water surface.	
12.5. Results of PBT and vPv	B assessment	
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.	
12.6. Endocrine disrupting pro	operties	
Endocrine disrupting properties:	The product does not contain any substance identified as having endocrine disrupting properties.	
12.7. Other adverse effects		
Other adverse effects:	None known.	
SECTION 13: DISPOSAL CONSIDERATIONS		
13.1. Waste treatment metho	ds	
Dispose of waste and residue hazardous waste.	es in accordance with local authority requirements. Waste is classified as	
Waste from residues:	EWC-code: 20 01 26	
Contaminated packaging:	Dispose of contaminated packings as residue.	

Product name:	Omega 78	Page:	11/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

<u>UN-No:</u>	-	
14.2. UN proper shipping nam	<u>ne</u>	
Proper Shipping Name:	-	
14.3. Transport hazard class(<u>es)</u>	
<u>Class:</u>	-	
14.4. Packing group		
<u>PG:</u>	-	
14.5. Environmental hazards		
Marine pollutant:	-	
Environmentally Hazardous substance:	-	
14.6. Special precautions for user		
Special precautions:	Not relevant.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk:	Not relevant.	

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
<u>National regulation:</u>	 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). 	

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 78	Page:	12/12
Supersedes date:	2019-11-01	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions. Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 3, 4, 7, 8, 9, 11, 12, 13, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

used in the safety data sheet:	ATE = Acute Toxicity Estimate.
	CSA= Chemical Safety Assessment.
	LC50 = Lethal Concentration 50%.
	EC50 = Effective Concentration 50%.
	NOEC = No Observed Effect Concentration.
	PBT = Persistent, Bioaccumulative and Toxic.
	SCL = Specific Concentration Limit.
	vPvB = very Persistent and very Bioaccumulative.
Additional information:	Classification according to Regulation (EC) No. 1272/2008: Calculation method.
Wording of H-statements:	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H413	May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.