

	SAFEITUAT			Ωmega
Product name:	Omega 85 - "Shear Sensation F Grease NLGI #2	Plus" All-Purpose	Page:	The Ultimate Lubricant
Supersedes date:	2019-02-18		Last revised date:	2023-01-18
Product No.:			SDS-ID:	GB-EN/4.0
SECTION 1: IDENTIFICA COMPANY/UNDERTAKIN	TION OF THE SUBSTANCE	MIXTURE AN	ID OF THE	
<u>1.1. Product identifier</u>	NG			
Product name:	Omega 85 - "Shear Sensatio	n Plus" All-Purpo	ose Grease NLGI #2	2
<u>Container size:</u>	400 g, 5 kg, 15 kg, 55 kg, 200) kg		
1.2. Relevant identified uses	of the substance or mixture and	l uses advised a	<u>gainst</u>	
Application:	Lubricating grease.		-	
Identified use(s):	For professional users only.			
1.3. Details of the supplier of	the safety data sheet			
Supplier:	GB importer:	-	cants (UK) Ltd, Crowti ′orkshire, HD6 3LZ	rees Lane,
Manufacturer:	ITW PP & F Korea Limited 13th FI., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com		4 - F: 01484 400164 reign-omega.co.uk omega.co.uk	
Further information can be obtained from:	magna@magnagroup.com			
1.4. Emergency telephone ne	umber			
Emergency telephone:	Call a Poison Center, emerge NHS: 111	ency number or o	doctor/physician.	
SECTION 2: HAZARDS II	DENTIFICATION			
2.1. Classification of the subs	stance or mixture			
<u>CLP:</u>	The product is not classified.			
2.2. Label elements				
	The substance/mixture does following labelling must be ap		eria for classificatio	n, but the
	Safety data sheet available o	n request.		
2.3. Other hazards				
	-			

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. The harmful effects may increase in used grease.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	2/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Only classified substances above threshold limits are shown.

All substances in the product are either registered or exempt from registration under REACH.

\sim	D .
	P.

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
5-15	43136-14-7		01-0000015620-79- XXXX	3,3'-Dioctadecyl-1,1'- methylenebis(4,1- phenylene)diurea	Aquatic Chronic 4;H413	
3-5	10254-57-6	233-593-1	01-2119969655-20	4,4'-Methylene bis (dibutyldithiocarbamate)	-	
Notes:	:	DMSO < 3	% (IP 346)			

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID M	EASURES	
4.1. Description of first aid me	asures	
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.	
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.	
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.	
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Immediate transport to hospital. Bring along these instructions.	
4.2. Most important symptoms and effects, both acute and delayed		

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	3/11
Supersedes date: 2	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 5: FIREFIGHTING MEASURES

SECTION 5. TINETISTIN	
5.1. Extinguishing media	
Extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials. Small fires: Extinguish with carbon dioxide or dry powder. Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire. Move container from fire area if it can be done without risk.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards:	During fire, gases hazardous to health may be formed. Do not allow runoff to sewer, waterway or ground.
5.3. Advice for firefighters	
Protective equipment for fire- fighters:	Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.
SECTION 6: ACCIDENTAL	RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes. Eliminate all sources of ignition. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

 Environmental
 Do not discharge into drains, water courses or onto the ground.

 precautions:
 6.3. Methods and material for containment and cleaning up

 Methods for cleaning up:
 Absorb in vermiculite, dry sand or earth and place into containers. Clean

contaminated area with oil-removing material.

6.4. Reference to other sections

References:For personal protection, see section 8.For waste disposal, see section 13.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	4/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

THE FOOD ALL OF THE FOIL OF THE FILL	2007
Safe handling advice:	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.
Technical measures:	Work practice should minimise contact. Do not eat, drink or smoke when using the product.
Technical precautions:	When working with heated grease, mechanical ventilation may be required.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. Store at moderate temperatures in dry, well ventilated area. (5-40°C) Protect against direct sunlight.
7.3. Specific end use(s)	

Specific use(s):

No information available.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	5/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

	8.2.	Exposure	controls
--	------	----------	----------

Engineering measures:	Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.
Hand protection:	Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Breakthrough time: > 4h, Thickness: > 0.3 mm The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eye protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures:	Wash hands after contact. Change contaminated clothing.
Environmental Exposure Controls:	Not available.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	6/11
Supersedes date: Product No.:	2019-02-18	Last revised date: SDS-ID:	2023-01-18 GB-EN/4.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Liquid. / Grease.
<u>Colour:</u>	Blue.
<u>Odour:</u>	Characteristic.
Odour threshold:	Not available.
<u>pH:</u>	Not available.
Melting point / freezing point:	Not available.
Boiling point:	Not available.
Flash point:	>200 °C
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Explosive limits	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	1,038 (20°C)
Solubility:	Immiscible with water
Partition coefficient (n-	Not available.
<u>octanol/water):</u>	
<u>Auto-ignition</u> temperature (°C):	Not available.
Decomposition temperature (°C):	Not available.
<u>Viscosity:</u>	Not available.
Explosive properties:	Not available.
Oxidising properties:	Not available.
9.2. Other information	
Other data:	No information available.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	7/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0
SECTION 10: STABILITY	AND REACTIVITY		
10.1. Reactivity			
Reactivity:	Not reactive.		
10.2. Chemical stability			
<u>Stability:</u>	Stable under normal temperature conditions.		
10.3. Possibility of hazardous	reactions		
Hazardous Reactions:	None known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid exposure to high temperatures or direc	t sunlight. Protect from n	noisture.
10.5. Incompatible materials			
Incompatible materials:	Avoid contact with acids and oxidising substa	nces.	
10.6. Hazardous decompositi	on products		
Hazardous decomposition products:	During fire, gases hazardous to health may be	e formed.	

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	8/11
Supersedes date: Product No.:	2019-02-18	Last revised date: SDS-ID:	2023-01-18 GB-EN/4.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used grease.

-	-
Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
<u>Skin contact:</u>	Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.
Eye contact:	Direct contact may irritate.
Ingestion:	May irritate and cause malaise.
Specific effects:	Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis.

11.2. Information on other hazards

Endocrine disruptingThe product does not contain any substance identified as having endocrine
disrupting properties.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	9/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0
SECTION 12: ECOLOGICA			
12.1. Toxicity			
Ecotoxicity:	Greases are generally hazardous to the enviro	onment.	
12.2. Persistence and degrada	<u>ibility</u>		
Degradability:	The product is expected to be slowly biodegra	dable.	
12.3. Bioaccumulative potentia	<u>I</u>		
Bioaccumulative potential:	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility:	No data available.		
12.5. Results of PBT and vPvE	3 assessment		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPv	B substances.	
12.6. Endocrine disrupting pro	perties		
Endocrine disrupting	The product does not contain any substance io	tentified as having end	ocrine
properties:	disrupting properties.		bernie
12.7. Other adverse effects			
Other adverse effects:	None known.		

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	10/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

<u>Class:</u>

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No.
	720), as amended.EH40/2005, Workplace exposure limits 2005, with amendments.The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 85 - "Shear Sensation Plus" All-Purpose Grease NLGI #2	Page:	11/11
Supersedes date:	2019-02-18	Last revised date:	2023-01-18
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 5, 6, 7, 11, 12, 13, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms	
used in the safety data sheet:	CSA= Chemical Safety Assessment.
	PBT = Persistent, Bioaccumulative and Toxic.
	vPvB = very Persistent and very Bioaccumulative.
Additional information:	Classification according to Regulation (EC) No. 1272/2008: Calculation method.
Wording of H-statements:	
H413	May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.