

SAFETY DATA SHEET



Product name: Omega 906
Supersedes date: 2020-08-26
Product No.:

Page: 1/13
Last revised date: 2023-01-19
SDS-ID: GB-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 906

Container size: 300 ml & 5 l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Radiator water additive.

1.3. Details of the supplier of the safety data sheet

<u>Supplier:</u>	GB importer:	Sovereign Lubricants (UK) Ltd, Crowtrees Lane, Rastrick, West Yorkshire, HD6 3LZ
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com	T: 01484 718674 - F: 01484 400164 enquiries@sovereign-omega.co.uk www.sovereign-omega.co.uk

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

SAFETY DATA SHEET

Product name: Omega 906 Page: 2/13
Supersedes date: 2020-08-26 Last revised date: 2023-01-19
Product No.: SDS-ID: GB-EN/8.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is classified: Skin Irrit. 2;H315 - Eye Dam. 1;H318 - Skin Sens. 1;H317

2.2. Label elements



Danger

Contains: Triethanolamine
2-Aminoethanol
1,3,5-Tris(2-hydroxyethyl)hexahydro-1,3,5-triazine

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

P280 Wear eye protection and gloves.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container as hazardous waste.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: The harmful effects may increase in used oil.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: mineral oil and additives. DMSO < 3% (IP 346)
Only classified substances above threshold limits are shown.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	3/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

CLP:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No.:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
55-65	64742-55-8	265-158-7	-	Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified	Asp. Tox. 1;H304	L
5-9	102-71-6	203-049-8	-	Triethanolamine	Skin Sens. 1;H317 Eye Irrit. 2;H319	
2-<5	141-43-5	205-483-3	-	2-Aminoethanol	Acute Tox. 4;H332 Acute Tox. 4;H312 Acute Tox. 4;H302 Skin Corr. 1B;H314	
0.5-2	9004-98-2	500-016-2	-	Polyethylene glycol monooleylether	Skin Irrit. 2;H315 Eye Irrit. 2;H319	
0.5-2	68920-66-1	500-236-9	-	Alcohols, C16-18 and C18-unsatd., ethoxylated	Skin Irrit. 2;H315	
0.5-2	27458-92-0	248-469-2	-	Isotridecan-1-ol	Skin Irrit. 2;H315 Aquatic Acute 1;H400	
0.5-1.5	4719-04-4	225-208-0	-	1,3,5-Tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	Acute Tox. 4;H302 Skin Sens. 1;H317	

<u>Chemical name:</u>	<u>SCL</u>	<u>M (ac)</u>	<u>M (chr)</u>	<u>ATE(o)</u> <u>(mg/kg</u> <u>bw)</u>	<u>ATE(d)</u> <u>(mg/kg</u> <u>bw)</u>	<u>ATE(i)</u> <u>(vapour,</u> <u>mg/L)</u>
Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified		-	-	-	-	-
Triethanolamine		-	-	-	-	-
2-Aminoethanol	STOT SE 3;H335: C ≥ 5 %	-	-	-	-	-
Polyethylene glycol monooleylether		-	-	-	-	-
Alcohols, C16-18 and C18-unsatd., ethoxylated		-	-	-	-	-
Isotridecan-1-ol		1	-	-	-	-
1,3,5-Tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	Skin Sens. 1;H317: C ≥ 0,1 %	-	-	-	-	-
Notes:	L: DMSO < 3% (IP 346)					

References: The full text for all hazard statements is displayed in section 16.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	4/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.
Larger fires: Extinguish with foam, carbon dioxide or dry powder.
Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	5/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

Technical measures: Use work methods which minimise oil mist production.

Technical precautions: When working with heated oil, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Cutting fluid.

SAFETY DATA SHEET

Product name: Omega 906 Page: 6/13
Supersedes date: 2020-08-26 Last revised date: 2023-01-19
Product No.: SDS-ID: GB-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
141-43-5	2-Aminoethanol	-	1 ppm 2.5 mg/m ³	TWA	Sk	EH40
		-	3 ppm 7.6 mg/m ³	STEL	Sk; 15min	

Notes:

Sk: Can be absorbed through skin.
EH40: EH40/2005.

8.2. Exposure controls

Engineering measures:

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment:

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.

Hand protection:

Wear protective gloves.
Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.
Thickness: 0.4 mm; Breakthrough time: >240min.
The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection:

Risk of contact:
Wear goggles/face shield.

Skin protection:

Wear apron or protective clothing in case of contact.

Hygiene measures:

Wash hands after contact. Wash contaminated clothing before reuse.

Environmental Exposure Controls:

Not available.

SAFETY DATA SHEET

Product name: Omega 906
Supersedes date: 2020-08-26
Product No.:

Page: 7/13
Last revised date: 2023-01-19
SDS-ID: GB-EN/8.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: light brown liquid
Odour: Petroleum.
Odour threshold: Not available.
pH: 9,6 (10%)
Melting point / freezing point: Not relevant.
Boiling point: Not available
Flash point: >200°C
Evaporation rate: Not available.
Flammability (solid, gas): Not available.
Explosive limits Not available
Vapour pressure: not available
Vapour density: Not available.
Relative density: ~1 (20°C)
Solubility: Miscible with water.
Partition coefficient (n-octanol/water): Not available.
Auto-ignition temperature (°C): Not available.
Decomposition temperature (°C): Not available
Viscosity: >22 mm²/s @ 40°C
Explosive properties: Not available.
Oxidising properties: Not available.
9.2. Other information
Other data: Not available.

SAFETY DATA SHEET

Product name: Omega 906
Supersedes date: 2020-08-26
Product No.:

Page: 8/13
Last revised date: 2023-01-19
SDS-ID: GB-EN/8.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	9/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used oil.

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.
2-Aminoethanol: LD50 (oral, rat): 1089 mg/kg
1,3,5-Tris(2-hydroxyethyl)hexahydro-1,3,5-triazine: LD50 (oral, rat): 763 mg/kg

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

Ingestion: May irritate and cause malaise.

11.2. Information on other hazards

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	10/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Oil spills are generally hazardous to the environment.
The product contains a substance which is very toxic to aquatic organisms.
Isotridecan-1-ol:
0,1 < LC50 ≤ 1 mg/l
M(ac) = 1

12.2. Persistence and degradability

Degradability: The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: Not available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 12 01 07
EWC-code: 12 01 09 (Emulsion.)

Contaminated packaging: Dispose of contaminated packings as residue.

SAFETY DATA SHEET

Product name: Omega 906

Page: 11/13

Supersedes date: 2020-08-26

Last revised date: 2023-01-19

Product No.:

SDS-ID: GB-EN/8.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous -

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	12/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended.
The Control of Substances Hazardous to Health Regulations 2002 (S.I. 2002 No. 2677) with amendments.
EH40/2005, Workplace exposure limits 2005, with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).
The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

For restrictions on use see section 15.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 8, 11, 12, 13, 14, 15, 16.

Omega Manufacturing Division
13th floor, Unit B, PAX Tower, 609 Eonju-ro,
Gangnam-Gu, Seoul, Korea 06108
Tel : +82-2-2088-3560
Fax : +82-2-513-3567
Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

SAFETY DATA SHEET

Product name:	Omega 906	Page:	13/13
Supersedes date:	2020-08-26	Last revised date:	2023-01-19
Product No.:		SDS-ID:	GB-EN/8.0

Abbreviations and acronyms used in the safety data sheet: CSA= Chemical Safety Assessment.
LC50 = Lethal Concentration 50%.
LD50 = Lethal Dose 50%.
M(ac) = M-factor acute toxicity.
PBT = Persistent, Bioaccumulative and Toxic.
SCL = Specific Concentration Limit.
UFI = Unique Formula Identifier.
vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
