

# 99FG



Nonfood Compounds Category Code : H1 Registration Number : 138826

# **DESCRIPTION:**

Omega 99FG Food Grade Seize-Stop is a multi-purpose, white, smooth, and non-toxic, food grade anti-seize & assembly paste that can be also used for lubricating bushes, slides and small open gears operating in the food & beverage and pharmaceutical industries and clean environments where incidental food contact is possible.

# SPECIAL FEATURES AND KEY BENEFITS:

Omega 99FG Food Grade Seize-Stop prevents seizing, galling, friction and wear on bolts, nuts, stainless steel fasteners, threaded parts and other metal-to-metal surfaces.

Omega 99FG does not contain mineral hydrocarbons, animal derived materials, nut



OMEGA 99FG is available in 500gm jar

oils or genetically modified ingredients that are potentially hazardous to human health.

Omega 99FG performs equally well from -30°C to at least 450°C. Having such a wide range of service temperature, it performs well on parts, components, and fasteners exposed to both low and high temperature extremes in the food & beverage and pharmaceutical industries.

Omega 99FG offers the maintenance professionals of the food industry multi-purpose applications. In addition to being an excellent anti-seize and assembly agent, it can be applied to lubricate bushes, slides, and small open gears operating in the food & beverage and pharmaceutical industries because of its excellent adhesiveness and resistance against water wash off which is common in the food & beverage and pharmaceutical industries.



Omega 99FG can be used on bottling/packing equipment

# SUGGESTED APPLICATIONS:

Omega 99FG is a food grade, multi-purpose anti-seize or assembly lubricant that prevents metal seizure, metal-to-metal galling, wear and friction in parts or components that may have incidental contact with food items.

Omega 99FG is applied on:

- Bolts, nuts, screws, stainless steel fasteners, press fit assemblies, bottling/packing machinery, etc in the food & beverage and pharmaceutical industries (even at elevated temperature)
- Lubricating bushes, slides, and small open gears operating in food/clean environments



# **DIRECTIONS FOR USE:**

- Clean the surfaces of the applied parts or components and keep them clean and dry prior to application.
- Apply a thin film of Omega 99FG manually on both surfaces of the applied parts or components





Omega 99FG can also be used on freezers and ovens

# **SOME TIPS ON STORAGE:**

- Storage temperature should be controlled to between 1 and 40°C
- Keep Omega 99FG away from direct sunlight)

# **TYPICAL DATA:**

| TEST                    | TEST RESULT             |
|-------------------------|-------------------------|
| Appearance              | Smooth, white paste     |
| Base Oil Specification  |                         |
| Viscosity @ 40° C), cSt | 520                     |
| Viscosity @ 100°C), cSt | 45                      |
| Viscosity Index (VI)    | 140                     |
| Coefficient of Friction | 0.11                    |
| Carrier                 | Synthetic lubricant     |
| Solids                  | White, non-toxic solids |
| Temperature Range, °C   | -30°C to 450°C          |
| Pack-size               | 500g Jar                |





 Product name:
 Omega 99FG
 Page:
 1/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: Omega 99FG
Container size: 500 g, 5 kg

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.

<u>Identified use(s):</u> For professional users only.

#### 1.3. Details of the supplier of the safety data sheet

Supplier: GB importer:

Manufacturer: ITW PP & F Korea Limited

13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu

Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com

Further information can be

obtained from: magna@magnagroup.com

# 1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.

NHS: 111

#### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

<u>CLP:</u> The product is not classified.

# 2.2. Label elements

The substance/mixture does not meet the criteria for classification and labelling.

Sovereign Lubricants (UK) Ltd, Crowtrees Lane,

Rastrick, West Yorkshire, HD6 3LZ

T: 01484 718674 - F: 01484 400164

enquiries@sovereign-omega.co.uk

www.sovereign-omega.co.uk

#### 2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The harmful effects may increase in used grease.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

 Product name:
 Omega 99FG
 Page:
 2/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

The product contains: synthetic oils and mineral additives (DMSO < 3% (IP 346))

No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure. All substances in the product are either registered or exempt from registration under REACH.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Immediately rinse mouth and drink 1-2 glasses of water. Keep person under

observation. If uncomfortable: Transportation to hospital. Bring along these

instructions.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

Product name: Omega 99FG Page: 3/11 Supersedes date: 2019-02-14 Last revised date: 2023-01-17 Product No.: SDS-ID: GB-EN/5.0

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder.

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

#### 5.3. Advice for firefighters

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

fighters: precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Follow precautions for safe handling described Personal precautions:

in this safety data sheet.

# 6.2. Environmental precautions

**Environmental** Do not discharge into drains, water courses or onto the ground.

precautions:

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Sweep up and shovel into suitable

containers for disposal. Clean contaminated area with oil-removing material.

#### 6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

Product name:Omega 99FGPage:4/11Supersedes date:2019-02-14Last revised date:2023-01-17Product No.:SDS-ID:GB-EN/5.0

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and

water or skin cleaning agent, never use organic solvents.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

#### 7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

Protect against direct sunlight.

#### 7.3. Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 Omega 99FG
 Page:
 5/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

<u>Engineering measures:</u> Provide adequate ventilation. When working with heated grease, mechanical

ventilation may be required. Provide access to washing facilities incl. soap,

skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory

equipment with particle filter, type P2.

<u>Hand protection:</u> Risk of contact: Wear protective gloves. Nitrile gloves are recommended.

Breakthrough time: > 4h; Thickness: > 0.3 mm

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

<u>Eye protection:</u> Risk of contact: Wear goggles/face shield.

<u>Hygiene measures:</u> Wash hands after handling.

Environmental Exposure

Controls:

Not available.

Product name: Omega 99FG Page: 6/11

Supersedes date: 2019-02-14 Last revised date: 2023-01-17

Product No.: SDS-ID: GB-EN/5.0

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

<u>Physical state:</u> Grease.

Colour: White / off-white.

Odour:
Odourless.

Odour threshold:

PH:
Not available.

Melting point / freezing point:

Boiling point:
Not available.

Not available.

Flash point: > 200°C

Evaporation rate: Not available.

<u>Flammability (solid, gas):</u> This product is not flammable.

Explosive limits Not available.

Vapour pressure: Not available.

Vapour density: Not available.

Relative density: ~ 1.29

Solubility: Insoluble in water.

Partition coefficient (n-

octanol/water):

Not available.

Auto-ignition >200 °C

temperature (°C):

<u>Decomposition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available.

<u>Explosive properties:</u> Non-explosive

<u>Oxidising properties:</u> Not available.

9.2. Other information

Other data: VOC content: 0 g/l

Product name: Omega 99FG Page: 7/11
Supersedes date: 2019-02-14 Last revised date: 2023-01-17

Product No.: SDS-ID: GB-EN/5.0

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

<u>Conditions to avoid</u> Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong acids. Strong alkalis. Strong oxidizing and reducing substances.

10.6. Hazardous decomposition products

Hazardous decomposition

None in particular.

products:

Product name: Omega 99FG Page: 8/11
Supersedes date: 2019-02-14 Last revised date: 2023-01-17

Product No.: SDS-ID: GB-EN/5.0

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Respiratory or skin

STOT - Repeated exposure:

sensitisation:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

<u>Germ cell mutagenicity:</u> Based on available data, the classification criteria are not met.

<u>Carcinogenicity:</u> Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Inhalation of oil mist or vapours formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping.

Eye contact: Direct contact may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

<u>Specific effects:</u> Prolonged or repeated contact with used grease may cause serious skin

diseases, such as dermatitis. The harmful effects may increase in used grease.

#### 11.2. Information on other hazards

Endocrine disrupting The product

properties:

The product does not contain any substance identified as having endocrine

disrupting properties.

 Product name:
 Omega 99FG
 Page:
 9/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

<u>Ecotoxicity:</u> Greases are generally hazardous to the environment.

# 12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

# 12.3. Bioaccumulative potential

<u>Bioaccumulative potential:</u> No data available on bioaccumulation.

# 12.4. Mobility in soil

<u>Mobility:</u> The product is insoluble in water and will sediment in water systems.

#### 12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain any substance identified as having endocrine

properties: disrupting properties.

#### 12.7. Other adverse effects

Other adverse effects: None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

 Product name:
 Omega 99FG
 Page:
 10/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

#### **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

#### 14.1. UN number

UN-No:

#### 14.2. UN proper shipping name

Proper Shipping Name:

#### 14.3. Transport hazard class(es)

Class: -

#### 14.4. Packing group

PG: -

#### 14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

#### 14.6. Special precautions for user

Special precautions: Not relevant.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION

ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc.

(Amendment) Regulations 2021.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No.

720), as amended.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

#### 15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

 Product name:
 Omega 99FG
 Page:
 11/11

 Supersedes date:
 2019-02-14
 Last revised date:
 2023-01-17

 Product No.:
 SDS-ID:
 GB-EN/5.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16.

Omega Manufacturing Division

13th floor, Unit B, PAX Tower, 609 Eonju-ro,

Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

used in the safety data sheet: CSA= Chemical Safety Assessment.

PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative.

VOC = Volatile Organic Compounds.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.